

# Nam Ngiep 1 Hydropower Project

# **Environmental Management Monthly Monitoring Report**

December 2019

		SIMMES -	Homm	Galan	•					
Α	22 January 2020	Hendra WINASTU Khamsone SAYSOMPHOU	Khamlar PHONSAVAT	Toshihiro TAKANO						
REV	DATE	AUTHOR	CHECKED	APPROVED	MODIFICATION DETAILS					
	<u>Accessibility</u>									
V	Public	Document No.  NNP1-C-J0904-RP-060-A								
	Internal									
		1414 2 0 0000 111 000 11								

# **TABLE OF CONTENTS**

E	XECUT	IVE SUMMARY	. 8
1	. INT	RODUCTION	. 9
2	. wo	RK PROGRESS OF PRINCIPAL CONTRACTORS	. 9
	2.1	CIVIL WORK	10
	2.1.1	Access Road Construction	12
	2.1.2	Main dam and power house	12
	2.1.3	RE-REGULATION DAM, POWERHOUSE AND DYKE	13
	2.1.4	TEMPORARY WORK FACILITY	14
	2.2	ELECTRICAL AND MECHANICAL WORKS	15
	2.3	HYDRO-MECHANICAL WORKS	16
	2.4	230 KV TRANSMISSION LINE WORKS	16
3	. EN\	/IRONMENTAL MANAGEMENT MONITORING	16
	3.1	COMPLIANCE MANAGEMENT	16
	3.1.1	INSPECTION BY ENVIRONMENT MANAGEMENT UNIT	17
	3.2	ENVIRONMENTAL QUALITY MONITORING	18
	3.2.1	EFFLUENT DISCHARGE FROM CAMPS AND CONSTRUCTION SITES	18
	3.2.2	Ambient Surface Water Quality Monitoring	19
	3.2.3	GROUNDWATER QUALITY MONITORING	24
	3.2.4	GRAVITY FED WATER SUPPLY (GFWS) QUALITY MONITORING	25
	3.2.5	LANDFILL LEACHATE MONITORING	26
	3.2.6	DUST MONITORING	27
	3.2.7	Noise Monitoring	28
	3.2.8	DISCHARGE MONITORING	28
	3.2.9	NAM NGIEP DOWNSTREAM WATER DEPTH MONITORING	29
	3.3	PROJECT WASTE MANAGEMENT	29
	3.3.1	SOLID WASTE MANAGEMENT	29
	3.3.2	HAZARDOUS MATERIALS AND WASTE MANAGEMENT	30
	3.4	COMMUNITY WASTE MANAGEMENT	31
	3.4.1	COMMUNITY RECYCLING PROGRAMME	31
	3.4.2	COMMUNITY SOLID WASTE MANAGEMENT	32
	3.5	WATERSHED AND BIODIVERSITY MANAGEMENT	32
	3.5.1	WATERSHED MANAGEMENT	32

3.5.2	BIODIVERSITY OFFSET MANAGEMENT
3.6	FLOATING DEBRIS REMOVAL
4. FISI	HERY MONITORING37
ANNEX	A: RESULTS OF WATER QUALITY MONITORING43
ANNEX	B: RESULTS OF EFFLUENT ANALYSES56
ANNEX	C: AMBIENT DUST QUALITY59
	TABLE OF TABLES
Table 3-	1: SS-ESMMP and documents Review Status in December 2019
Table 3-	2: Summary of ONCs and NCRs17
Table 3-	3: Status of Corrective Actions for Non-Compliances at Camps and Construction Sites
TABLE 3-	4: Monitoring Frequency for Surface Water Quality Parameters
Table 3-	5: Results of Surface Water Quality Monitoring for Dissolved Oxygen (mg/L) in the upper 0.2 m, Water Quality Standard: >6.0 mg/L23
Table 3-	6: Results of Surface Water Quality Monitoring for Total Suspended Solids (mg/L) - Water Quality Standard: No Standard24
Table 3-	7: Results of Surface Water Quality Monitoring for BOD₅ (mg/L) - Water Quality Standard: < 1.5 mg/L24
Table 3-	8: Groundwater Quality Monitoring Results in Somsuen, Nam Pa, Thong Noi and Pou Villages25
Table 3-	9: Results of the Gravity Fed Water Supply Quality Monitoring26
Table 3-	10: RESULTS OF THE LANDFILL LEACHATE MONITORING
Table 3-	11: Amounts of Recyclable Waste Sold
Table 3-	12: Amounts of Food Waste Collected by Villagers
Table 3-	13: Results of Hazardous Material Inventory
Table 3-	14: Types and Amounts of Recyclable Waste Traded at the Community Waste Bank
Table 4-	1: Fish Species dominating the Fish Catch in November 201937
Table 4-	2: Threatened Species of November 2019 Fish Catch37
Table 4-	3: Total Fish Catch by Upstream (Excluding Zone 2LR), Downstream and Mekong Control Group Fishing Households in November 2015, November 2016,

Table 4-4: Med	dian Monthly Household Fish Catch in the Upstream and Downstream  Communities Excluding Zone 2LR40
Table 4-5: Me	edian Daily Fish Catch per Household in November 201941
	TABLE OF FIGURES
Figure 1-1: Loc	cation Map9
FIGURE 2-1: SUN	MMARY OF PUNCH LIST PROGRESS AS OF THE END OF <b>O</b> CTOBER <b>10</b>
Figure 2-2: Pla	an of Site Access Roads with Major Work Area and Temporary Facilities 12
Figure 2-3: Co	mpleted Re-regulation Dam and Powerhouse at the End of June 2018 13
Figure 2-4: Qu	uarry Area View15
Figure 3-1: Sui	rface Water and Re-Regulation Reservoir Water Quality Monitoring Stations22
Figure 3-2: Co	ncentration of Dissolved Oxygen in the Upper 0.2 m Since the Start of Impounding23
Figure 3-3: Wo	ater Level, Inflow and Discharge for the Main Reservoir28
Figure 3-4: Dis	scharge Monitoring at the Re-regulation Dam in October and December 2019
Figure 3-5 : Ma	ap of threats recorded by two patrolling teams in October – December 2019
Figure 3-6: M	lap of wildlife signs recorded by two patrolling teams in November –  December 2019
Figure 3-7: Hu	nting camp at Nam Sik was destroyed by patroling team 35
Figure 3-8: Sm	nall wire snares at Houay Xai Gnai35
Figure 2-5: Phy	yre's leaf monkey36
Figure 2-6: W	hite-cheeked gibbon36
Figure 4-1: To	tal Recorded Monthly Fish Catch July 2015 - November 2019 38
Figure 4-2:	Total Fish Catch by Upstream (Excluding Zone 2LR), Downstream and Mekong Control Group Fishing Households in November 2015, November 2016, November 2017, November 2018 and November 2019
Figure 4-3: Nu	mber of Fishing Households Involved in the Fish Catch Monitoring Programme39
Figure 4-4: Me	edian Monthly Household Fish Catch without Zone 2LR40
Figure 4-5: Me	edian Daily Fish Catch per Household41

# **ABBREVIATIONS / ACRONYMS**

AIP Annual Implementation Plan

ADB Asian Development Bank

BBS Biodiversity Baseline Survey

BAC Biodiversity Advisory Committee

BOF Biodiversity Offset Framework

BOMC Biodiversity Offset Management Committee

BOMP Biodiversity Offset Management Plan

CA Concession Agreement between the NNP1PC and GOL,

CAP Corrective Action Plan

COD Commercial Operation Date

CVC Conventional Vibrated Concrete

CWC Civil Works Contract

CTA Common Terms Agreement

DEB Department of Energy Business, MEM

DEPP Department of Energy Policy and Planning, MEM

DEQP Department of Environment and Quality Promotion, MONRE

DESIA Department of Environmental and Social Impact Assessment, MONRE

DFRM Department of Forest Resources Management, MONRE

DLA Department of Land Administration, MONRE

DSRP Dam Safety Review Panel

EC Electrolytic Conductivity

ECOCD EGAT Construction Obligation Commencement Date

EDL Electricite du Laos

EDL PPA Power Purchase Agreement between NNP1PC and EDL

EGAT Electricity Generating Authority of Thailand

EGAT International Company Limited

EIA Environmental Impact Assessment

EMMR Environmental Management and Monitoring Reports

EMO Environmental Management Office of ESD within NNP1PC

EMU Environmental Monitoring Unit

EMWC Electrical-Mechanical Works Contract

EPF Environmental Protection Fund

ERIC Environmental Research Institute Chulalongkhorn University

ERM Environmental Resource Management

ESD Environmental and Social Division of NNP1PC

ESMMP Environmental and Social Monitoring and Management Plan

FY Fiscal Year

GOL Government of Lao PDR

GIS Geographic Information Systems

HH Household

HMWC Hydraulic Metal Works Contract

HR Human Resources

IEE Initial Environmental Examination

IMA Independent Monitoring Agency

INRMP Integrated Natural Resources Management Plan

ISP Intergraded Spatial Planning

km kilometre kV kilo-Volt

LEPTS Lao Electric Power Technical Standard

LHSE Lao Holding State Enterprise

LTA Lender's Technical Advisor

M million

m metre

MAF Ministry of Agriculture and Forestry

MEM Ministry of Energy and Mines, Lao PDR

MOF Ministry of Finance, Lao PDR

MOM Minutes of Meeting

MONRE Ministry of Natural Resource and Environment, Lao PDR

MOU Memorandum of Understanding

NBCA National Biodiversity Conservation Area

NCI Non-Compliance Issue

NCR Non-Compliance Report

NN2 Nam Ngum 2 Power Company Limited

NNP1PC Nam Ngiep 1 Power Company Limited

NPF **National Protection Forest** 

NTFP **Non-Timber Forest Products** 

NT2 Nam Theun 2 Hydropower Project

OC Obayashi Corporation

ONC Observation of Non-Compliance

PAFO Provincial Department of Agriculture and Forestry

PAP Project Affected People

PD **Property Damage** 

PONRE Provincial Department of Natural Resource and Environment, MONRE

PvPA **Provincial Protection Area** 

**RCC** Roller Compacted Concrete

SIR Site Inspection Report

**SLBMP** Salvage Logging Biomass Management Plan

SOP Standard Operating Procedure

SMO Social Management Office of ESD within NNP1PC

SS-ESMMP Site Specific Environmental and Social Monitoring and Management Plan

TD Technical Division of NNP1PC

TOR Terms of Reference

TSS **Total Suspended Solids** 

UAE United Analysis and Engineering Consultant Company Ltd.

UXO **Unexploded Ordinance** 

WMF Watershed Management Fund

WMP Watershed Management Plan

WRPC Watershed and Reservoir Protection Committee

**WRPO** Watershed and Reservoir Protection Office

**WWTS** Waste Water Treatment System

# **EXECUTIVE SUMMARY**

In December 2019, the Environmental Management Office (EMO) of Nam Ngiep 1 Power Company (NNP1PC) received two Site Specific Environmental and Social Management Plan (SS-ESMMP) and three Site Decommissioning and Rehabilitation Plans for review and approval.

The monthly site visit by the Bolikhan District EMU was not carried out in December 2019.

The effluent monitoring results for the camps in December 2019 indicate that the results of ammonia nitrogen and total nitrogen continue to fluctuate over the month and comply with the relevant effluent standards for some camps. However, the effluents from the camps complied with the standards for total coliform and faecal coliform.

The Dissolved Oxygen (DO) levels at the surface of the Main Reservoir (R1, R2, R3, R4 and R5) were generally between 2 mg/L and 9 mg/L. In the Re-regulation Reservoir (R6 and R7), the DO was generally below 4 mg/L during the period.

The discharge from the re-regulation dam alternated between discharges from the gate and turbine. All DO concentrations were less than 6 mg/L at Nam Ngiep downstream stations with non-compliance with the National Standard. However, no dead fish were observed in Nam Ngiep downstream during periods with low DO.

A total of 54 m3 of solid waste was disposed of at the NNP1 Project Landfill, an increase of 5.5 m3 compared to November 2019. A total of 2,108 kg of recyclable waste was recorded at the Community Waste Bank. A total of 72 m3 of solid waste from Phouhomxay, Thahuea and Hat Gniun Villages was disposed of at the Houay Soup Landfill. NNP1PC is in the process of procuring a new local contractor to support the waste collection, disposal and delivery from the Project areas to NNP1 Project Landfill as well as from the host villages and Phouhomxay Village to Houay Soup Landfill. It is expected that the contractor will be contracted by February 2020.

NNP1PC is processing the fund transfer under the GOL CA budget and NNP1PC additional No Net Loss (NNL) commitment as well as the procurement of office and field equipment to support the WRPO of Xaysomboun and Bolikhamxay Provinces in implementing the activities of AIP2019. Both WRPO are expected to receive the funds and the equipment in February 2020 at the soonest.

Biodiversity offset related activities under the components of spatial planning and regulation, and law enforcement were carried out according to the approved Annual Implementation Plan (AIP) 2019 by the Government of Lao PDR (Biodiversity Management Offset Unit) of Bolikhamxay Province.

The fish catch monitoring for November 2019 in Nam Ngiep watershed was dominated by Oreochromis niloticus, Channa striata, and species groups of Poropuntius, Hampala, and Sikukia gudgeri, Amblyrhynchichthys truncatus that are classified as Least Concern (LC) according to the IUCN Red List, except Sikukia gudgeri is classified as Data Deficient (DD).

# 1. INTRODUCTION

The Nam Ngiep originates in the mountains of Xieng Khouang Province, flowing through Khoun District into Thathom District of Xaysomboun Province, through Hom District and into Bolikhan District of Bolikhamxay Province. The Nam Ngiep meets the Mekong River just upstream from Pakxan in Bolikhamxay Province (Fig. 1-1).

FIGURE 1-1: LOCATION MAP

The project will consist of two dams. The main dam which is located 9.0 km upstream of Hat Gnuin Village in Bolikhan District, will create a 70-km-long, narrow reservoir that extends up the Ngiep Valley as far as Thathom District. At almost 150 m high, the main dam will be the second largest in Lao PDR. The Power Station at this dam will generate up to 272 MW of electricity for export to Thailand. With a combined capacity of 290 MW, Nam Ngiep 1 will generate around 1,620 GWh of electricity annually. Two transmission lines will be required to transport the electricity generated by the project. From the main power station, a 230kV line will run for 125 km to the Nabong outside Vientiane Capital. A 115-kV transmission line will be constructed by EDL from the Re-regulation Power Station to Pakxan substation over a distance of 40 km.

This Environmental Monthly Monitoring Report (EMMR) provides a summary of

CHINA PR

VIETNAM

HANDI 89

HANDI 80

HANDI 8

environmental monitoring activities and mitigation actions in January 2017. The EMMR was prepared by the Project's Environmental Management Office (EMO). It has been internally reviewed and cleared by EMO senior technical staff and management prior to submitting the report to the Government of Lao PDR (GoL) related agencies.

The EMMR and other related reports including related construction Site Specific Environmental and Social Monitoring and Management Plans (SS-ESMMPs) are publicly disclosed on the Project website in line with the ADB and GoL Public Disclosure Policies. Hard copies of the final reports will also be available upon requests at the Project's main office in Vientiane Capital and field office in Pakxan, Bolikhamxay Province.

# 2. WORK PROGRESS OF PRINCIPAL CONTRACTORS

Construction works for the Project were carried out through four separate main construction contracts under the supervision of the Technical Division of NNP1PC. The four contracts are the Civil Works, the Electrical and Mechanical Works, the Hydraulic Metal or Hydro-Mechanical Works and the 230 kV Transmission Line Works.

**Figure 2-1** Shows the progress of the minor and outstanding work and defects that comprise the punch list items for each of the principal contracts for the Project.

FIGURE 2-1: SUMMARY OF PUNCH LIST PROGRESS AS OF THE END OF OCTOBER

Type of	Contract Works	Total Items	Items Completed	Completion by No. of Items	Total Value of Items	Value Completed	Completion by Value	Taking-Over
		(No.)	(No,)	(%)	(USD)	(USD)	(%)	(Date)
	RR Power Station	74	74	100	108,890	108,890	100	31-Jan-19
Civil	Main Power Station	482	480	99	5,507,375	5,307,375	96	31-Jan-19
Electro-	RRPS	170	170	100	6,515	6,515	100	16-Mar-19
Mechanical	MPS	95	90	95	10,950	9,450	86	27-Aug-19
Hydro-	RRPS	39	39	100	8,825	8,825	100	16-Mar-19
Mechanical	MPS	174	174	100	13,775	13,775	100	31-Mar-19
230 kV T	ransmission Line	301	301	100	150,000	150,000	100	31-Jul-18

### 2.1 CIVIL WORK

The Civil Works Contract was executed between Obayashi Corporation and the Nam Ngiep 1 Power Company on 30 September 2013 and the Notice to Proceed was issued on 03 October 2014. Excavation works of the main dam, the diversion tunnel and the re-regulation dam were commenced in October 2014 and completed in February 2016, following which the concreting works were commenced.

The cumulative actual work progress of the Civil Works until the end of March 2019 was 100 % (compared to planned progress of 100 %) calculated as the value of achieved Interim Milestone Payments excluding advance payment.

The Civil Works overall was always on or ahead of schedule despite increased quantities of dam excavation and slope stabilisation and additional RCC placed in the shear key. During the initial dam excavation and since, it has been written in each Monthly Report, 'the complex bedding of hard over soft layers of rock and the folding nature of these layers in the foundation rock of the main dam below the old river bed had created difficulty to finalise the foundation design to the satisfaction of the Dam Safety Review Panel in all respects'.

Accordingly, further review of the dam foundation design was carried out to create sufficient safety factor for stability against sliding of the dam on the weak zones. This resulted in further excavation and concreting of a shear key structure in the old river bed, taking the dam height to 167 m, measured from the deepest excavation level to the crest level, some 19 m higher than anticipated. The original schedule is maintained as a result of the combined efforts of the Owner, the Owner's Engineer and all the principal Contractors and their Subcontractors. The additional excavation works were completed at the end of February 2016 and RCC consolidation grouting and RCC placement for the main dam were commenced on 10 May and 19 April 2016 respectively. The concrete level at the main dam reached El. 321.9 m at the left bank on 29 April 2018 and at the right bank at the end of March 2018. The placed volume of

RCC was achieved in close to the planned schedule despite the losses of time resulting from the additional excavation and concreting in the foundation, the loss of fly-ash supply in December 2016, and the fatal accident.

Since the impounding of the Main Dam started on 15 May 2018, monitoring has been carried out to confirm the dam stability, especially to the right abutment where some anomalous results had been noted. Dam monitoring results are shown in a separate 'Monthly Report on Main Dam Instrumentation and Monitoring'. Many of the original concerns have been explained or are better understood. The unforeseen consequences which are considered likely to have been caused by the closing of bedding plane openings, as one of the possible causes considered, began unfolding with events in August 2018 when loading of the dam toe appeared to have caused an inclination of the main powerhouse to upstream and towards the old river bed such that the setting and fixing vertically of both turbine generating units within the required tolerances was not possible. This movement of the powerhouse also affected associated structures such as the penstocks and the intake valve. After the occurrence of this inclination issue, it has been found that artesian aguifer, which was not pressurized before initial impounding, exists under the main powerhouse foundation. Drainage to relieve the pressure is an important means of controlling the artesian aquifer. All current information and opinion are contained in the separate 'Root Cause Assessment of the Main Powerhouse Inclination' which was endorsed by academic authorities. This Report was sent to the insurance company in support of the insurance claim on this issue.

Monitoring of the instruments initially installed continues, more instruments were installed, further drainage drilling was carried out. As related above, all current information and opinion is contained in the separate September Monthly Report on Main Dam Instrumentation and Monitoring. This Report was sent to the Dam Safety Review Panel for review and comment. The reservoir water level of the main reservoir finally reached Full Supply Level of El. 320 m on 17 August 2019 whilst achieving dam safety. At the 19th DSRP Meeting which was held in October 2019, DSRP included in their Report a 'Dam Safety Endorsement' stating that the main dam, re-regulation dam and dyke are safe and fit for purpose, subject to a continued programme of appropriate monitoring, safe project operation and satisfactory resolution of the outstanding issues.

The leakage through drainage pipes from the Bottom Conduit Gate decreased from around 30 m3/min in June 2019 to 1 m3/min in September 2019 thanks to additional grouting using holes drilled from the main dam foundation gallery, a manageable amount, and the permanent concrete plug in this Conduit had been placed since 08 November 2018 after obtaining agreement of the DSRP and completed in 21 January 2019. NNP1PC will study various options to ensure that the reservoir water pressure is safely confined in the long term based on the recommendations of the DSRP.

The repairs to the foundation of leg 4 of 230 kV TL Tower No.1 were completed in February 2019. The remaining excavation of the plunge pool was finished in January 2019. The reinforced concrete parapet wall was completed in December 2018 and road deck to the main dam crest and the concrete spillway chutes and piers completed in January 2019.

The issue of a Taking-over Certificate for the Civil Works for both the Re-regulation Power Station and the Main Dam and Main Powerhouse dated 31 January 2019 was made on 19 August 2019 and 22 October 2019, respectively.

### 2.1.1 Access Road Construction

All main access road construction works were completed following an early December 2013 start, and maintenance of these will continue until the anticipated commissioning date in August 2019, six months after when the Civil Contract Time for Completion is reached. Temporary access roads are constructed to reach the various construction activities and others will be developed or modified as is necessary as activities change to reach current or new areas of dam concreting and consolidation grouting, the upstream and downstream cofferdams and the main powerhouse and belt conveyor support tower foundations. The layout of the access road system is as shown in *Figure 2-2* below. The Civil Contractor is responsible for decommissioning and rehabilitating the temporary roads as they become redundant.




Figure 2-2: Plan of Site Access Roads with Major Work Area and Temporary Facilities

### 2.1.2 MAIN DAM AND POWER HOUSE

After starting the main dam excavation in October 2014 on the left bank, these works were about one month advanced when diversion of the Nam Ngiep River was achieved at the end of October 2015. However, excavated volumes were 20 % greater in total than expected and part of this additional work was necessary to construct a 'shear key' structure due to the weak layers of rock encountered in the dam foundation. Following significant efforts on Site, the additional excavation work was completed at the end of February 2016. The cost of the additional excavation and RCC concrete placement necessitated expenditure of contingency amounts provided exactly for such eventualities. The dental concreting works were commenced in March 2016, and conventional levelling concrete placement for the main dam in the 'shear key' structure up to El. 170.5 m was completed in the middle of April 2016. Consolidation grouting at the main dam area was commenced on 10 May 2016 and RCC concrete placement for the main dam body was commenced on 19 April 2016. Consolidation grouting covers the whole footprint of the main dam and RCC concrete placement and consolidation grouting are implemented in parallel, section by section. The progress of RCC concrete placement is 100 % complete. The dam height has reached crest level at El. 321.9 m at both left bank and right bank. The plunge pool excavation was started after main dam

impounding and this work has been suspended because of spilling water from spillway gate during rainy season in 2018. It has resumed from the end of October when the amount of inflow has decreased to around 100 m3/s and around 121,000 m3 or 100 % of total excavation has now been completed.

The diversion conduit gate of the main dam body has some leakage of water initially and the casting of the temporary concrete plug behind it was completed in the conduit in June 2018. The permanent concrete plug had been placed since 08 November 2018 after DSRP permission was granted.

Main powerhouse sub-structure excavation works were completed in January 2016 and levelling concrete works were started in coordination with installation of the grounding system and the penstock concrete encasement. Major concrete of the main powerhouse was substantially completed in December 2017. The powerhouse concreting works has been completed in January 2019.

### 2.1.3 Re-regulation dam, Powerhouse and Dyke

The re-regulation powerhouse excavation and cofferdam works for the first river diversion were commenced in early October 2014. The excavation works for the powerhouse on the left bank were fully completed down to El. 146.7 m at the end of February 2015.

Structural concrete works were commenced in March 2015, in coordination with installation of the grounding system. The progress of overall re-regulating dam and powerhouse works at the left bank section and the right bank and labyrinth weir are shown in Figure below. After the completion of the re-regulation dam above, impounding of the reservoir has been carried out having been commenced on 15 May and been completed on 24 May 2017. After Main Dam impounding started, the reservoir storage of the re-regulation dam has been used for the riparian discharge to downstream in accordance with the Concession Agreement.



FIGURE 2-3: COMPLETED RE-REGULATION DAM AND POWERHOUSE AT THE END OF JUNE 2018

### 2.1.4 TEMPORARY WORK FACILITY

### 2.1.4.1 DIVERSION TUNNEL INLET AND OUTLET

The diversion tunnel, excavated over 600 m in length and 10 m in diameter, was commenced in October 2014 by drill and blast techniques and completed in late September 2015. The river diversion took place on 31 October 2015 after completion of inlet and outlet structures together with construction of earth-fill cofferdams upstream and downstream.

The second diversion to divert the river from the diversion tunnel through the bottom outlet or conduit in the dam was implemented on 13 January 2018. Dewatering of the diversion tunnel and construction of the concrete plug was commenced during January 2018. Concrete works and the valve installation for discharge was completed before the start of main dam impounding. On 22 May 2018, the valve discharge commenced by using 3 valves with around 5 m<sup>3</sup>/s discharge in total. Construction of concrete plug including valve was completed on 27 January 2019.

### 2.1.4.2 SECONDARY UPSTREAM COFFERDAM

The concrete placement works in both conventional and roller-compacted concrete (CVC and RCC respectively) for the secondary upstream cofferdam were started in November 2015 and completed ahead of construction schedule in the middle of February 2016. The grout curtain works for this cofferdam were completed on 02 April 2016.

### **2.1.4.3 PLANT YARDS**

These comprise the Aggregate Crushing Plant, the CVC Batching Plant and the RCC Batching Plant.

Foundation work and installation of equipment were completed at all the plant yards and the belt conveyor system from the RCC plant to the main dam was completed in early April 2016. Decommissioning and rehabilitation is underway on all plants and is almost completed for the Quarry and the Aggregate Crushing Plant.

Demobilization of plant facilities for both RCC and CVC plants was completed in December 2019. The vegetation improvement for rehabilitation of those areas is ongoing

# 2.1.4.4 QUARRY

After removal of overburden the excavation of raw materials for aggregate crushing were started in July 2015. The nature and type of the rock being exploited was acceptable though unsuitable soil layers were removed to spoil disposal areas, and good quarry management prevailed. It was considered that the quarry as originally conceived would not yield enough rock material of the required specification to complete all RCC and CVC concrete works for the Project. Permission was taken to extend the existing quarry within the boundaries already approved after a preliminary soil investigation confirmed that appropriate material could be exploited as below. The planned extension area of the quarry received approval from local government. (See *Figure 2-4* below)

The surface clearing, topsoil and overburden removal works at the extension area were completed in December 2016 and its development works was commenced in January 2017. The final blasting was carried out 27 March 2018. GOL have acknowledged that the quarry operation is complete. After several inspections by GOL and ADB for the Lenders, the quarry site has been improved by such as partial levelling, vegetation at the berms of slopes and large rock installation at top of slopes from an environmental and a safety point of view. Furthermore, a fence around the pond, which is created at the quarry only during the rainy season and is dry during dry season, will be installed to prevent people and animals from entering the pond, subject to ADB approval. A gate near the steel bridge also a barrier to public access. Permanent fence installation around pond as shown in the below picture will not be installed and fence for road safety will be installed at the top of the right bank upper quarry roadside. The levelling of quarry bottom will be implemented from January 2020.

Figure 2-4: Quarry Area View



### 2.1.4.5 DISPOSAL AREAS

The disposal areas are on the right bank has been available for operation since January 2015, as was the adjacent waste Disposal Area No.9. Disposal Area No.9 along Road P1 near the start of Road T5 started operation in April 2015. Unsuitable material from the quarry has ceased to be hauled to Disposal Area No.6 and Disposal Area No.9 has been developed by the Electrical and Mechanical Works Contractor as stated above.

# 2.2 ELECTRICAL AND MECHANICAL WORKS

The EMW Contract was executed between Hitachi-Mitsubishi Hydro Corporation and NNP1PC on 13 June 2014 and the Notice to Proceed was issued in 03 October 2014. The cumulative work progress of the Electrical and Mechanical Works by value at the end of July 2019 was 98.8 % (compared to planned progress of 100.0 %). This apparent delay is simply due to the delay to issuing of the Taking-Over Certificate for the main powerhouse.

The main activities carried out during this month are described below:



Figure 4.2-1: Joint inspection of oil leakage inside turbine pit



Figure 4.2-2: Oil leakage were found on thrust bearing bracket and turbine guide bearing cover

### 2.3 HYDRO-MECHANICAL WORKS

The HMW Contract was executed between IHI Infrastructure Systems (IIS) and NNP1PC on 18 April 2014 and the NTP was issued to the Contractor on 03 October 2014. The actual cumulative work progress of the Hydro-Mechanical Works until the end of March 2019 was 100 % (compared to planned progress of 100 %). NNP1PC issued the Taking Over Certification for the main powerhouse and the re-regulation powerhouse, which was dated on 31 March 2019 for the main powerhouse and 16 March 2019 for the re-regulation powerhouse, to IIS on 30 September 2019 and 16 August 2019, respectively.

### 2.4 230 KV TRANSMISSION LINE WORKS

The 230 kV Transmission Line Contract was executed between Loxley-Sri Consortium and NNP1PC on 11 July 2014 and the NTP was issued to the 230 kV TL Works Contractor on 03 October 2014. The cumulative actual work progress of the Transmission Line Works at the end of July 2018 was 100 %, the same as planned progress. NNP1PC issued the Taking Over Certification, which was dated on 31 July 2018, to Loxley on 6 November 2018. The Defects Notification Period for this Contract expired on 31 July 2019.

### 3. ENVIRONMENTAL MANAGEMENT MONITORING

# 3.1 COMPLIANCE MANAGEMENT

In December 2019, the Environmental Management Office (EMO) of Nam Ngiep 1 Power Company (NNP1PC) received two SS-ESMMPs and three Site Decommissioning and Rehabilitation Plans for review and approval.

TABLE 3-1: SS-ESMMP AND DOCUMENTS REVIEW STATUS IN DECEMBER 2019

Title	Date Received	Status
Site Decommissioning and Rehabilitation Plan for Song Da 5 Camp No.1	04 December 2019 (1 <sup>st</sup> submission)	No objection with comments on 19 December 2019
Site Decommissioning and Rehabilitation Plan for Song Da 5, Temporary CVC Batching Plant and Stockyard	09 December 2019 (1 <sup>st</sup> submission)	No objection with comments on 19 December 2019
DWP&SS-ESMMP for the Maintenance and Repairing Works for the Nam Ngiep 1 Project	16 December 2019 (1 <sup>st</sup> submission)	No objection with no further comments on 19 December 2019
DWP&SS-ESMMP for the Installation of Double Corrosion Protection Rock Bolts at the Left Bank Slope	22 December 2019 (1st submission)	Under review
Site Decommissioning and Rehabilitation Plan for OC Camp	24 December 2019 (3 <sup>rd</sup> submission)	Under review

The status of compliance reports (Observation of Non-Compliance or ONC, Non-Compliance Report or NCR) issued by NNP1PC to the Contractors is summarized in below

TABLE 3-2: SUMMARY OF ONCS AND NCRS

Items	ONC	NCR-1	NCR-2	NCR-3
Carried over from November 2019	5	0	0	0
Newly Opened in December 2019	2	0	0	0
Total in December 2019	7	0	0	0
Resolved in December 2019	5	0	0	0
Carried over to January 2020	2	0	0	0
Unsolved Exceeding Deadlines	2	0	0	0

### 3.1.1 Inspection by Environment Management Unit

The regular monthly site visit by the Bolikhan District EMU was not carried out during December 2019.

### 3.2 Environmental Quality Monitoring

The analyses of Total Suspended Solids (TSS), Biochemical Oxygen Demand (BOD), faecal coliforms, E.Coli bacteria and total coliforms have been carried out by NNP1PC's environmental laboratory since August 2017.

All data are reported to the Ministry of Natural Resources and Environment (MONRE) monthly and quarterly to the ADB. The reports are also published on the Company's website at https://namngiep1.com/resources/monitoring-reports/

### 3.2.1 EFFLUENT DISCHARGE FROM CAMPS AND CONSTRUCTION SITES

Detailed monitoring results are provided in **Annex B** of this Report. The effluent monitoring results for the camps in December 2019 indicate that the results of ammonia nitrogen and total nitrogen continue to fluctuate over the month and comply with the relevant effluent standards for some camps. However, the effluents from the camps complied with the standards for total coliform and faecal coliform.

The status of the implementation of the corrective actions addressing non-compliances at the camps and key construction sites that continue to have non-compliances is summarized in below.

TABLE 3-3: STATUS OF CORRECTIVE ACTIONS FOR NON-COMPLIANCES AT CAMPS AND CONSTRUCTION SITES

Site	Sampling ID	Status	Corrective Actions
Owner's Site Office and Village (OSOV)	EF01	Non-compliance for total nitrogen.	The design drawing to improve the second wetland pond is under preparation by Administration Department and Infra teams. Improvements of the wetland pond will start as soon as the design is completed.
Obayashi Corporation Camp	EF02		The site has been completely decommissioned.
Song Da5 Camp No. 1	EF07	No effluent camp sampling during the mission due to no outflow from the wetland.	About 80% decommissioning progress
V&K Camp	EF10		The site has been completely decommissioned.
HM Hydro Main Camp (WWTS)	EF13	Non-compliance for BOD₅ (second fortnight	An external expert is being hired to evaluate the design and operation of the existing WWTS

Site	Sampling ID	Status	Corrective Actions
		sampling), total nitrogen and ammonia-nitrogen.	and to provide an improved design using a more permanent technology.
ESD Camp (former IHI Main Camp)	EF14	Non-compliance for total nitrogen and ammonia nitrogen.	An external expert is being hired to evaluate the design and operation of the existing WWTS as well as providing an improved design using a more permanent technology.
Main Powerhouse	EF19	Non-compliance for TSS and COD (second fortnightly sampling), total nitrogen and ammonia nitrogen.	As above.
Spoil Disposal Area No.2	DS04	Full compliance.	
Upstream Spoil Disposal Area No.2	DS04-US	Full compliance.	

### 3.2.2 AMBIENT SURFACE WATER QUALITY MONITORING

The ambient surface water quality monitoring programme comprises five monitoring stations in the main reservoir (R1-R5), two stations in the re-regulation reservoir (R6 and R7), five stations in the mainstream Nam Ngiep (NNG01 and NNG05 to NNG08) and four stations in the main tributaries to Nam Ngiep (Nam Chiane [NCH01], Nam Phouan [NPH01], Nam Xao [NXA01] and Nam Houay Soup [NHS01].

In addition, weekly depth profile monitoring (pH, DO, conductivity, TDS and temperature) has been undertaken since 18 September 2018 for stations located in the re-regulation and main reservoirs. The water quality programme is summarized in *Table 3-4* and the location of the monitoring stations are shown in below

TABLE 3-4: MONITORING FREQUENCY FOR SURFACE WATER QUALITY PARAMETERS

Frequency of Monitoring	Parameters (Unit)	Monitoring Sites
Saturday	pH, DO (%), DO (mg/L), Conductivity (μs/cm), TDS (mg/L), Temperature (°C) and Turbidity (NTU).	<ul> <li>R5, main reservoir immediately upstream the main dam;</li> <li>NNG05, Nam Ngiep downstream the re-regulation dam at Hat Gniun Village.</li> </ul>
Wednesday and Friday (Intensive Monitoring)	pH, DO (%), DO (mg/L), Conductivity (μs/cm), TDS (mg/L), Temperature (°C) and Turbidity (NTU)	<ul> <li>R5, main reservoir immediately upstream the main dam;</li> <li>Tailrace main dam;</li> <li>Re-regulation reservoir: R6 and R7;</li> <li>Tailrace re-regulation dam;</li> <li>Nam Ngiep at the bridge;</li> <li>NNG05, Nam Ngiep downstream of the re-regulation dam at Hat Gniun Village</li> </ul>
Weekly	pH, DO (%), DO (mg/L), Conductivity (μs/cm), TDS (mg/L), Temperature (°C), Turbidity (NTU), TSS (mg/L), BOD <sub>5</sub> (mg/L), Faecal coliform (MPN/100 ml), Total coliform (MPN/100 ml)	<ul> <li>Main Reservoir: R1, R2, R3, R4, R5;</li> <li>Nam Ngiep downstream: NNG05, NNG06, NNG07 and NNG08;</li> <li>Tributaries: Nam Phouan [NPH01], Nam Xao [NXA01] and Nam Houay Soup [NHS01].</li> </ul>
Fortnightly	pH, DO (%), DO (mg/L), Conductivity (μs/cm), TDS (mg/L), Temperature (°C), Turbidity (NTU)	All stations
Monthly	TSS (mg/L), BOD <sub>5</sub> (mg/L), COD (mg/L), NH <sub>3</sub> -N (mg/L), NO <sub>3</sub> -N (mg/L), total coliform (MPN/100 ml), faecal coliform (MPN/100 ml) and Hydrogen sulphide (mg/L)	All stations

The monitoring results for key parameters (DO, TSS and BOD<sub>5</sub>) during December 2019 are presented in in *Table 3-5, 3-6 and 3-7*. The full set of data for December 2019 is attached in *Annex A*. In addition, the results for DO are presented as line graphs in *Figure 3-2* 

### Main Reservoir

During December 2019, the water level in the main reservoir decreased from El. 315 m asl. to El. 311 m asl.

At R5, the DO level in the upper 12 m was generally between 3 mg/L and 7 mg/L, and the entire water column below 26.0 m had a DO level less than 1 mg/L. In addition, on 11 December 2019, DO concentration entire water column was between 0.07 mg/L and 1.9 mg/L.

At R4, the DO concentrations in the entire water column were between 0.07 mg/L and 4.67 mg/L.

The DO concentrations at R3 were recorded between 2 mg/L and 7 mg/L in the upper 5.0 m. The concentration of DO in the water column below 32.0 m was generally less than 1 mg/L, however, with some occasional spikes at 40 m to 55 m depth of 2.31 mg/L to 2.83 mg/L.

The DO concentrations at R2 generally fluctuated between 0.08 mg/L and 5.02 mg/L in the water column.

And at R1, the DO level was generally between 4 mg/L and 9 mg/L in the entire water column.

The measurements indicate the formation of oxyclines in R2, R3, R4 and R5.

As expected, the TSS concentrations in the main reservoir have been consistently low since the start of impounding with a mean of 5 mg/L compared to high flow season means of about 100 mg/L - 250 mg/L and low flow season means of 20 mg/L - 50 mg/L.

The BOD₅ measurements in December 2019 were within the standard and some of them below the limit of detection, except at R1.

# Re-regulation Reservoir

In December 2019, the turbine discharge from the main dam varied between about 100 m<sup>3</sup>/s and 200 m<sup>3</sup>/s interrupted by usually night-time periods with no discharge.

The DO measurements at R6 and R7 representing turbine discharges from the main dam generally had DO concentrations from below 1 mg/L to about 3 mg/L in the entire water column.

Similar to previous months since the start of commercial operation in September 2019, elevated levels of BOD<sub>5</sub> ranging from about 3 mg/L to 7 mg/L were measured in R6 and R7 in all three monitoring missions in December 2019.

### **Downstream**

During December 2019, the discharge from the re-regulation dam alternated between discharges from the gate and turbine. All DO concentration were less than 6 mg/L at Nam Ngiep Downstream stations with non-compliance with the National Standard. No dead fish were observed in Nam Ngiep downstream during periods with low DO.

Elevated levels of BOD<sub>5</sub> ranging from about 2 mg/L to 4 mg/L were measured in the downstream stations with the highest concentrations in the stations close to the dam and then gradually tapering off.

FIGURE 3-1: SURFACE WATER AND RE-REGULATION RESERVOIR WATER QUALITY MONITORING STATIONS




FIGURE 3-2: CONCENTRATION OF DISSOLVED OXYGEN IN THE UPPER 0.2 M SINCE THE START OF IMPOUNDING




Table 3-5: Results of Surface Water Quality Monitoring for Dissolved Oxygen (mg/L) in the upper 0.2 m, Water Quality Standard: >6.0 mg/L

DO (mg/L)	NNG01	R1	R2	R3	R4	RS	R6	R7	NNG05	NNG06	NNG07	NNG08	NCH01	NPH01	NXA01	NHS01
4-Dec-19						6.28	1.82	1.47	4.57	4.04	4.17	5.23			6.97	6.23
5-Dec-19		7.9	2.52	4.8	3.94									8.84		
6-Dec-19						4.82	2.86	3.5	5.51							
7-Dec-19						3.35	4.04		3.57							
9-Dec-19	9.06												8.58			
10-Dec-19		6.5	2.14	3.58	2.26									9.62		
11-Dec-19						1.9	3.02	2.65	3.53	3.82	4.63	4.73			5.67	6.12
13-Dec-19						2.23	1.71	3.11	2.61	2.75					7.22	
14-Dec-19						3.39	2.42		4.04							
17-Dec-19		9.29	2.23	6.8	3.07									10.69		
18-Dec-19						4.13	2.99	3.38	3.49	3.35	4.08	5.12			6.57	6.31
20-Dec-19						4.37	3.51	1.58	2.75	4.02					4.35	
21-Dec-19						5.27	1.02		3.6							
23-Dec-19	8.39												8.76			
24-Dec-19		8.59	3.38	7.34	4.67									8.65		
25-Dec-19						6.53	1.75	2.33	3.12							

Final-22 January 2020

DO (mg/L)	NNG01	R1	R2	R3	R4	R5	R6	R7	NNG05	905NN	NNG07	NNG08	NCH01	NPH01	NXA01	NHS01
27-Dec-19						6.78	1.36	2.37	3.19	3.45					6.65	

Table 3-6: Results of Surface Water Quality Monitoring for Total Suspended Solids (mg/L) - Water Quality Standard: No Standard

Total Suspended Solids (mg/L)	NNG01	R1	R2	R3	R4	R5	R6	R7	NNG05	905NN	NNG07	NNG08	NCH01	NPH01	NXA01	NHS01
3-Dec-19						<5	<5	<5	8.52							
4-Dec-19						<5	<5	<5	8.52							
9-Dec-19	7.11												<5			
10-Dec-19		6.27	<5	<5	<5									6.22		
11-Dec-19						<5	<5	<5	<5	<5	8.6	13.72			<5	<5
18-Dec-19						<5	<5	<5	<5							

Table 3-7: Results of Surface Water Quality Monitoring for  $BOD_5$  (mg/L) - Water Quality Standard: < 1.5 mg/L

BOD₅ (mg/L)	NNG01	R1	R2	R3	R4	R5	R6	R7	NNG05	NNG06	NNG07	NNG08	NCH01	NPH01	NXA01	NHS01
4-Dec-19						<1.0	7.14	7.32	4.46							
9-Dec-19	1.53												1.48			
10-Dec-19		1.99	<1.0	<1.0	<1.0									<1.0		
11-Dec-19						<1.0	2.8	3.38	2.93	2.86	1.82	<1.0			2.04	1.21
18-Dec-19						<1.0	4.52	5.04	3.7							

# 3.2.3 GROUNDWATER QUALITY MONITORING

During December 2019, community groundwater quality analyses were carried out for four wells located in Somseun Village, Nam Pa Village, Thong Noy Village and Pou Village.

All results of community groundwater complied with the groundwater quality standards for water supply purposes, except Thong Noy (faecal coliform and E. Coli bacteria), Nam Pa and Somsuen Villages (pH) as per below Table.

Table 3-8: Groundwater Quality Monitoring Results in Somsuen, Nam Pa, Thong Noi and Pou Villages

	Site Name	Somseun Village	NamPa Village	ThongNoy Village	Pou Village
Parameter (Unit)	Station	GSXN01	GNPA01	GTHN01	GPOU01
r drameter (Ome)	Guideline				
рН	6.5 - 9.2	6.47	6.14	6.77	7.57
Sat. DO (%)		79.4	81.2	66.8	77.5
DO (mg/L)		6.81	6.86	5.52	6.78
Conductivity (µS/cm)		324	310	329	56.1
TDS (mg/L)		162	155	164.5	28.05
Temperature (°C)		22.3	22.6	25.1	20.2
Turbidity (NTU)	<20	1.04	1.02	1.1	3.73
Fecal coliform (MPN/100mL)	0	0	0	26	0
E.coli Bacteria (MPN/100mL)	0	0	0	26	0
Arsenic (mg/)	<0.05	0.0018	0.0013	0.0017	<0.0003
Total Iron (mg/L)	<1	<0.01	0.02	<0.01	0.026
Magnesium (mg/L)		6.09	4.09	7.83	0.276
Manganese (mg/L)	<0.5	<0.005	<0.005	<0.005	0.035
Fluoride (mg/L)	<1	0.1	0.09	0.12	0.06
Total hardness (mg/L)	<500	240	244	253	12.4
Nitrate (mg/L)	<45	0.27	0.18	0.35	0.18
Nitrite (mg/L)	<3	<0.07	<0.07	<0.07	<0.07
Lead (mg/L)	<0.05	<0.01	<0.01	<0.01	<0.01

### 3.2.4 Gravity Fed Water Supply (GFWS) Quality Monitoring

During December 2019, water samples from water taps at Hat Gniun Village and Phouhomxay Village were analysed. The WPHX01 represents raw water in the head tank before the filtration system.

The results of the water quality analyses are presented in *Table 3-9.* All parameters complied with the National Drinking Water Standards except for faecal coliforms and E. Coli at WTHH02, WHGN02, WPHX01 (intake), WPHX02 (tap water at the primary school in Phouhomxay Village) and WPHX03 (tap water at a house in Phouhomxay Village). The villagers generally use tap water for washing and cleaning. They were informed about the results and were encouraged to boil the water before drinking.

TABLE 3-9: RESULTS OF THE GRAVITY FED WATER SUPPLY QUALITY MONITORING

		Site Name	Thaheau Village	Hat Gnuin Village	Pho	uhomxay Vil	lage
		Station	WTHH02	WHGN02	WPHX01	WPHX02	WPHX03
Date	Parameter (Unit)	Guideline					
16-Dec-19	рН	6.5 - 8.6	7.46	6.99	8.16	6.67	6.61
16-Dec-19	Sat. DO (%)		84.3	108.4	91.2	77.7	93
16-Dec-19	DO (mg/L)		6.9	8.88	7.24	6.82	7.25
16-Dec-19	Conductivity (μS/cm)	<1,000	41.5	75.8	10.07	11.3	10.38
16-Dec-19	TDS (mg/L)	<600	20.7	37.8	5	5.6	5.2
16-Dec-19	Temperature (°C)	<35	24.5	21.9	25.4	21.2	21.7
16-Dec-19	Turbidity (NTU)	<10	1.24	1.29	1.23	1.07	1.02
16-Dec-19	Faecal Coliform (MPN/100 mL)	0	11	27	220	540	540
16-Dec-19	E.coli Bacteria (MPN/100 mL)	0	11	27	220	540	350
16-Dec-19	Arsenic (mg/L)	<0.05	<0.0003	<0.0003	<0.0003	<0.0003	<0.0003
16-Dec-19	Cadmium (mg/L)	<0.003	<0.002	<0.002	<0.002	<0.002	<0.002
16-Dec-19	Iron (mg/L)		0.07	0.074	0.128	0.112	0.104
16-Dec-19	Lead (mg/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
16-Dec-19	Magnesium (mg/L)		1.49	2.32	0.828	0.803	0.794
16-Dec-19	Manganese (mg/L)	<0.5	<0.005	0.008	0.008	<0.005	<0.005
16-Dec-19	Fluoride (mg/L)	<1.5	0.16	0.14	0.14	0.11	0.05
16-Dec-19	Nitrate (mg/L)	<50	<0.09	<0.09	<0.09	0.22	0.27
16-Dec-19	Nitrite (mg/L)	<3	<0.02	<0.02	<0.02	<0.02	<0.02
16-Dec-19	Total hardness (mg/L)	<300	44	66.7	22.2	25.8	21.3
16-Dec-19	Selenium (mg/L)	<0.01	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
16-Dec-19	Mercury (mg/L)	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002

# 3.2.5 LANDFILL LEACHATE MONITORING

During December 2019, the landfill leachate monitoring was conducted at NNP1 Project Landfill (Last pond - LL4) and at Houay Soup Solid Waste Landfill (Last pond - LL6).

The results indicate that Houay Soup Landfill did not comply with the standard for COD. However, the leachate was contained in the leachate ponds without discharging to the

environment. EMO will continue to monitor the results and report in the next MPR. The landfill leachate monitoring results for December 2019 can be found in Table below.

Table 3-10: Results of the Landfill Leachate Monitoring

		Site Name	1	NNP1 Land	dfill Leach	nate Monito	oring	_	oup Landfill Monitoring
		Location	Pond No.01	Pond No.02	Pond No.03	Pond No.04	Discharge Point	Last pond	Discharge Point
		Station	LL1	LL2	LL3	LL4	LL5	LL6	LL7
Date	Parameter (Unit)	Guideline							
3-Dec-19	рН	6.0 - 9.0				7.69		7.06	
3-Dec-19	Sat. DO (%)					139.6		227.8	
3-Dec-19	DO (mg/L)					10.45		17.35	
3-Dec-19	Conductivity (μS/cm)					118.3		427	
3-Dec-19	TDS (mg/L)					59.1		213.5	
3-Dec-19	Temperature (°C)					29.1		28.1	
3-Dec-19	Turbidity (NTU)					7.86		19.71	
3-Dec-19	BOD₅ (mg/L)	<30				24.48		24.12	
3-Dec-19	COD (mg/L)	<125				108		154	
3-Dec-19	Faecal Coliform (MPN/100 mL)	<400				0		2	
3-Dec-19	Total Coliform (MPN/100 mL)	<400				8		23	
3-Dec-19	Mercury (mg/L)					<0.0005		<0.0005	
3-Dec-19	Total nitrogen (mg/L)	<10				1		2	
3-Dec-19	Arsenic (mg/L)					<0.0003		0.0016	
3-Dec-19	Lead (mg/L)	<0.2				<0.010		<0.010	
3-Dec-19	Iron (mg/L)					0.954		1.82	
3-Dec-19	Total Petroleum Hydrocarbons (mg/L)					<1		<1	

# 3.2.6 DUST MONITORING

The results indicate that the dust levels at all monitoring stations comply with the National Standard during the monitored period in December 2019. The results were shared internally

with NNP1PC Technical Department as a reference for following-up inspection to ensure proper establishment of health and safety procedures.

### 3.2.7 Noise Monitoring

During December 2019, there was no noise monitoring due to equipment failure. Unfortunately, the equipment representative in Vietnam informed that they would not be able to provide maintenance services. The equipment will be sent to the supplier in the US for maintenance in early 2020. Regardless, noise was not a major issue at the nearby villages after all the construction activities were completed in August 2019.

### 3.2.8 DISCHARGE MONITORING

The water level in the main reservoir, inflow to the reservoir and discharge from the reservoir since the start of the impounding on 15 May 2018 is presented in the graph in Figure 1-3.

During December 2019, the mean inflow to the main reservoir was 48 m3/s (min 23 m3/s and max 65 m3/s) with a slightly decreasing trend over the course of the month. The water level in the main reservoir gradually dropped 4 m from El. 315 m asl to El. 311 m asl.

In December 2019, the total turbine discharge from both units at the main dam varied between about 100 m3/s and 200 m3/s interrupted by usually night-time periods with no discharge.

Main Dam Water Level, Inflow and Discharge Inflow 2019 Discharge 2019 -AVERAGE WL 2019 のでは20~一からないこれのいっとが

FIGURE 3-3: WATER LEVEL, INFLOW AND DISCHARGE FOR THE MAIN RESERVOIR

The discharge monitoring data for the re-regulation dam during November and December 2019 is presented in *Figure 3-4*.

During December 2019, the discharge from the re-regulation dam was about 140 m3/s interrupted by short periods – usually on Sundays - with discharge between 30 m3/s and 60 m3/s.

The changes in the discharge from the re-regulation dam were informed in advance to the RMU and to the heads of the downstream villages, who then announced the changes to the communities over the village speaker systems.

Discharge from Re-regulation Dam [m³/s]

220.0

200.0

180.0

140.0

140.0

120.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

20.0

2

FIGURE 3-4: DISCHARGE MONITORING AT THE RE-REGULATION DAM IN OCTOBER AND DECEMBER 2019

### 3.2.9 NAM NGIEP DOWNSTREAM WATER DEPTH MONITORING

In December 2019, EMO carried out four boat missions to monitor the water depth in the Nam Ngiep downstream of the re-regulation dam. A total of 19 sites have been identified with potential shallow water depths. None of these sites were difficult to navigate.

### 3.3 PROJECT WASTE MANAGEMENT

# 3.3.1 SOLID WASTE MANAGEMENT

In December 2019, a total of 54 m<sup>3</sup> of solid waste was disposed of at the NNP1 Project Landfill, an increase of 5.5 m<sup>3</sup> compared to November 2019. During December 2019, EMO conducted three waste spot checks at the NNP1 Project Landfill, construction sites and camps. Mixed

waste inside the waste bins continued to be found at the Song Da 5 Camp No.1 and RCC Plant as part of their decommissioning activities. NNP1PC issued ONCs and instructed the supervisors of all concerned Contractors and subcontractors to improve and ensure proper waste management practices.

A total of 361 kg of recyclable waste was sold to Khounmixay Processing Factory. The remaining scrap metal is expected to be sold or transported off site by the Contractor later next month.

TABLE 3-11: AMOUNTS OF RECYCLABLE WASTE SOLD

Soi	urce and Type of Recycled Waste	Unit	Sold	Cumulative Total by 31 December 2019
	<b>Construction Activity</b>			
1	Scrap metal	kg	0	0
Sub-	Total 1	kg	0	0
	<b>Camp Operations</b>			
2	Glass bottles	kg	114	47
3	Plastic bottles	kg	113	10.5
4	Paper/Cardboard	kg	85	30
5	Aluminium cans	kg	49	5
	Sub-Total 2	kg	361	92.5
	Grand Total 1+2	kg	361	92.5

The villagers of Phouhomxay Village collected a total of 1,806 kg of food waste from selected camps for animal feed in December 2019, a decrease of 649 kg compared to November 2019 as a result of GFE, Zhefu, 276, LILAMA 10 and V&K Camp decommissioning and a reduction in the number of construction workers at the Song Da5 Camps.

TABLE 3-12: AMOUNTS OF FOOD WASTE COLLECTED BY VILLAGERS

No.	Site Name	Unit	Total
1	Song Da5 Camp No. 1	kg	572
2	Obayashi Corporation Camp	kg	50
3	Owner's Village and Site Office (OSOV)	kg	1,045
4	Lilama 10 Camp	kg	139
	Total	kg	1,806

# 3.3.2 HAZARDOUS MATERIALS AND WASTE MANAGEMENT

The types and amounts of hazardous waste stored on site for treatment and final disposal at Khounmixay Processing Factory in December 2019 are shown in below

TABLE 3-13: RESULTS OF HAZARDOUS MATERIAL INVENTORY

No.	Hazardous Waste Type	Unit	Total in December 2019 (A)	Disposed (B)	Remainder (A - B)
1	Ink cartridge	unit	224	45	179
2	Halogen/fluorescent bulbs	unit	15	0	15
3	Used hydraulic and engine oil	litre	2,960	2,960	0
4	Used tyre	piece	141	141	0
5	Used oil filters	piece	100	100	0
6	Contaminated soil, sawdust and concrete	bag	45	45	0
7	Empty used chemical drum/container	drum (200 L)	42	42	0
8	Empty contaminated bitumen drum/container	drum (200 L)	20	20	0
9	Empty used oil drum/container	drum (20 L)	17	17	0
10	Clinic Waste	kg	15	15	0
11	Lead acid batteries	unit	7	7	0
12	Contaminated textile and material	kg	7	7	0
13	Empty paint and spray cans	can	7	7	0
14	Lithium-ion batteries	unit	5	5	0

In addition, a total of 12 m³ of sewage sludge/black water from toilets of OC camp was transported and disposed of at the Spoil Disposal Area No. 6 by following the NNP1PC Standard Operating Procedure (SOP) on Sewage/Black Water Disposal and a total of 15 Kg of medical waste was transported and incinerated at the incinerator of Vientiane landfill, km 32, Road 13 South.

NNP1PC is in the process of procuring a new local contractor to support the waste collection, disposal and delivery from the Project areas to NNP1 Project Landfill as well as from the host Villages and Phouhomxay Village to Houay Soup Landfill. It is expected that the contractor will be on board by February 2020. During this transition period, NNP1PC-EMO will work with the villagers to deliver the wastes to the Houay Soup landfill on a weekly basis.

### 3.4 COMMUNITY WASTE MANAGEMENT

### 3.4.1 COMMUNITY RECYCLING PROGRAMME

In December 2019, the Community Waste Bank received 77.5 kg of recyclable waste making a total of 2,108 kg of recyclable waste remaining in the Bank.

Table 3-14: Types and Amounts of Recyclable Waste Traded at the Community Waste Bank

Types of Waste	Unit	Remaining in November 2019	Additional in December 2019	Sold	Remaining in December 2019
Scrap metal	kg	0	0	0	0
Glass bottles	kg	1,107	42	0	1,149
Paper/cardboard	kg	923.5	0	0	923.5
Aluminium cans	kg	0	0	0	0
Plastic bottles	kg	0	35.5	0	35.5
Total	kg	2,030.5	77.5	0	2,108

### 3.4.2 COMMUNITY SOLID WASTE MANAGEMENT

In December 2019, a total of 72 m<sup>3</sup> of solid waste was collected from Phouhomxay, Thahuea and Hat Gnuin Villages. The solid waste was transported to Houay Soup Landfill, where recyclable materials were segregated before the waste was disposed of at the landfill.

On 06 December 2019, authorities and villagers of Phouhomxay Village carried out village clean-up activities including cutting grasses on both sides of the access road and picking-up scattered waste at the village meeting hall, health centre, market, bus station, village area, primary school and other areas. All the solid waste was transported and disposed of at Houay Soup landfill by local Contractor.

On 23 – 24 December 2019, annual maintenance of the recycle waste bank at the Hat Gnuin village was carried out which included cutting grasses, surface shaping and gravel placement of the entrance, repairing entrance door, and fixing wooden windows and doors of the building, as well as new sign board installation.

### 3.5 WATERSHED AND BIODIVERSITY MANAGEMENT

### 3.5.1 WATERSHED MANAGEMENT

# 3.5.1.1 IMPLEMENTATION OF ANNUAL IMPLEMENTATION PLAN (AIP) 2019

NNP1PC processed a fund disbursement for both Bolikhamxay and Xaysomboun Provinces' approved AIPs for a total of USD 154,785 to a Project account at the Department of Forestry, Ministry of Agriculture and Forestry (MAF). DOF received the total of USD 112,034 from the Watershed Management Fund (WMF) under GOL's CA budget on 09 December 2019. A total amount of USD 42,751 from NNP1PC additional No Net Loss (NNL) commitment is being processed until the end of December 2019. In addition, NNP1PC is also processing the procurement of office and field equipment on behalf of Xaysomboun and Bolikhamxy Provincial WRPOs under additional NNL commitment to support the implementation of activities under AIP2019. Both WRPOs is expected to receive the funds and the equipment in February 2020 at the soonest.

NNP1PC-EMO together with a consultant is preparing a Fishery Co-Management Plan. The Consultant has submitted a first draft of the Plan on 20 December 2019 and it is being translated to English for further review by NNP1 management.

A contract with a local consultant to conduct an assessment of options for sustainable livelihood opportunities focussing on nine watershed villages in Xaysomboun Province was executed on 12 December 2019. The Consultant is preparing an inception report which is expected to be ready in early January 2020.

### 3.5.2 BIODIVERSITY OFFSET MANAGEMENT

### 3.5.2.1 APPROVAL OF BIODIVERSITY SERVICE PROVIDER (BSP)

ADB submitted a letter to the Minister of the Ministry of Planning and Investment on 10 September 2019 requesting for a no objection to a proposed ADB Technical Assistance Project called C-TA0031-REG: Facilitating Effective Biodiversity Offsets in Private Sector Operations that would bring the selected Biodiversity Service Provider (Wildlife Conservation Society or WCS) to support the NNP1 Project. On this matter, it was mentioned in the letter that ADB will select, administer and evaluate the selected consultant directly. A draft Memorandum of Understanding (MOU) to be signed between NNP1PC-ADB-WCS has been prepared by the NNP1PC lawyer to outline some agreements on the general framework for all parties' collaboration to support the Government of Lao PDR on the implementation of biodiversity offset management in the NNP1 Project. This MOU was discussed and agreed by the ADB during the joint ADB-IAP mission during 9-14 December 2019. ADB confirmed during the mission wrap-up meeting on 14 December 2019 that they have no objection on the signing of a MOU by the mentioned parties. This draft MOU is expected to be circulated to ADB and the BSP (WCS) for their further comments in the early January 2020.

NNP1PC management and the Board of Directors from the EGATi and Lao Holding State Entreprise (LHSE) visited the Vice-Minister of MAF on 06 December 2019 to further discuss and obtain his guidance about the BSP (WCS) engagement. The Vice-Minister requested ADB through NNP1PC to provide further clarification on the selection criteria for BSP and to share the contract with BSP (WCS) as their reference for issuing an official acceptance.

### 3.5.2.2 IMPLEMENTATION OF BOMP ANNUAL IMPLEMENTATION PLAN (AIP) 2019

Progresses on the implementation of activities by Component are described below:

# a. Component 1 - Spatial Planning and Regulation

Bolikhamxay Provincial BOMU procured 60 small signs (40x40 cm), 50 concrete poles and six big signs (2x3 m) as part of standard GOL's method to inform villagers on the agreed NC-NX Total Protected Zone (TPZ). The installation was scheduled to start in January 2020.

# b. Component 2 - Law Enforcement

Four teams continued with patrolling in December 2019.

The first team carried out patrolling at Nam Houng and Nam Kapa (Nam Houng High Priority Area), Nam San (Highest Priority Area) and Houy Pha lai. They spent 15 days covering a distance of 66 km on forest patrolling. The team made a total of 11 direct observations and eight indirect observations of the following wildlife: macaque, otters, black giant squirrel, wild pigs,

muntjac, white cheeked-gibbon, Indochinese serow, civet and sambar. The team also encountered a number of threats such as hunting camp, logging sign, fishing camps and four fire places identified for fishing.

The second team carried out patrolling at Nam Chang, Nam Sone, Nam Xi, Houy Xai Gnai, Houy Xai Noi and Houy Poung in the TPZ Highest Priority Area. They spent 16 days covering a distance of 38 km on road access patrolling and 69 km on forest patrolling. The team made a total of 14 direct observations and six indirect observations of the following wildlife: macaque, East Asia porcupine, muntjac, phayre's leaf monkeys, wild pig, Indochinese serow, sambar deer, and civet. The team also encountered a number of threats such as hunting camp, hunting track, and 310 small wire snare that was set by Vietnamese poachers.

The third team carried out patrolling at Nam Ma, Nam Pang, Nam Sa Nga and Nam Mong in Nam Ma High Priority Area. They spent 16 days covering a distance of 69 km on forest patrolling. The team made a total of 17 direct observation and seven indirect observation of the following wildlife: macaque, white-cheeked gibbons, muntjacs, Red-shanked Douc Langur, black giant squirrel, phayre's leaf monkeys, otter, Indochinese serow, sambar deer, and wild pig. The team also encountered hunting camps that were used by local.

The fourth team carried out patrolling at Nam Houng, Nam Tan, Nam Kha Gna and Nam Sik. They spent 15 days covering a distance of 23 km on road access patrolling and 64 km on forest patrolling. The team made a total of seven direct observation and six indirect observation of the following wildlife: hog badger, black giant squirrel, macaque, phayre's leaf monkeys, wild pig, civet, otter and Indochinese serow.




FIGURE 3-5: MAP OF THREATS RECORDED BY TWO PATROLLING TEAMS IN OCTOBER - DECEMBER 2019






FIGURE 3-6: MAP OF WILDLIFE SIGNS RECORDED BY TWO PATROLLING TEAMS IN NOVEMBER — DECEMBER 2019





The monthly patrolling meeting was organized on 11 December 2019 with the following key notes:

- ➤ It is noted that the patrolling efforts are focussing in the highest and higher priority area of TPZ. However, the possible increase of threats in other areas including the CUZ is also a concern, and the patrol teams should also consider to patrol these areas.
- Villagers who were engaged as patrolling team members should be well assessed for their performance.
- Village informants should be established as soon as possible.
- Wildlife signs should be well identified and recorded especially the NNL target species.

### c. Component 4 – Conservation linked livelihood development

NNP1PC is in progress of recruiting a consultant to prepare a Community Development Plan (CDP) for the six NC-NX villages. NNP1PC concluded the technical evaluation on 22 November 2019. The contract was executed on 25 December 2019.

# 3.6 FLOATING DEBRIS REMOVAL

As planned, there was no cutting and burning during this reporting period. NNP1PC-EMO conducted a regular monitoring and removal of floating materials/logs from the temporary log-boom as needed.

#### 4. FISHERY MONITORING

Three species groups and two species dominated the fish catch by weight in November 2019 as listed in *Table 4-1*. All species are classified as Least Concern (LC) according to the IUCN Red List of Threatened Species<sup>1</sup>, except *Sikukia gudgeri* is classified as Data Deficient (DD).

TABLE 4-1: FISH SPECIES DOMINATING THE FISH CATCH IN NOVEMBER 2019

Species	Lao Name	Fish Catch (kg)	IUCN Red List Classification
Oreochromis niloticus	ປານິນ	153.9	LC
Poropuntius normani, Poropuntius Iaoensis, Poropuntius carinatus	ปาจาก	140.9	LC
Channa striata	ປາຄໍ່	130.2	LC
Hampala dispar, Hampala macrolepidota	ປາສູດ	102.7	LC
Sikukia gudgeri, Amblyrhynchichthys truncatus	ປາຂາວຊາຍ	86.2	DD, LC

The recorded catch of Threatened and Near Threatened species (IUCN Red List classification) in November 2019 is presented in *Table 4-2*. The list includes three species that are classified as Vulnerable (VU) species and three Near Threatened (NT) species.

TABLE 4-2: THREATENED SPECIES OF NOVEMBER 2019 FISH CATCH

Species	Lao Name	Fish Catch (kg)	IUCN Red List Classification
Cirrhinus molitorella	ປາແກງ	3.5	NT
Neolissochilus stracheyi	ປາສອງ	1.3	NT
Onychostoma gerlachi	ປາຄີງ	9.7	NT
Scaphognathops bandanensis	ປາວຽນໄຟ/ປາປ່ຽນ	11.8	VU
Tor sinensis	ປາແດງ	56	VU
Yasuhikotakia splendida	ປາໝູ/ປາແຂ້ວໄກ້	3.5	VU

\_

<sup>&</sup>lt;sup>1</sup> The IUCN Red List of Threatened Species is the world's most comprehensive inventory and classification of threatened species. The Red List classifies species into nine groups: Extinct (EX), Extinct in the wild (EW), Critically endangered (CR), Endangered (EN), Vulnerable (VU), Near threatened (NT), Least concern (LC), Data deficient (DD), and Not evaluated (NE). The term "Threatened" includes Critically Endangered, Endangered, and Vulnerable.

The total recorded monthly fish catch for the downstream and upstream fishing households and the Mekong control group involved in the monitoring programme from July 2015 to November 2019 is presented in *Error! Not a valid bookmark self-reference.*. Note that the upstream fish catch excludes the fish catch from the fishing households in Zone 2LR because these households were resettled during Q4-2017.





FIGURE 4-1: TOTAL RECORDED MONTHLY FISH CATCH JULY 2015 - NOVEMBER 2019

Error! Reference source not found. and **Figure 4-2** show the total recorded fish catch for November 2015, November 2016, November 2017, November 2018 and November 2019 in the upstream (excluding Zone 2LR) and downstream communities and the Mekong control group. The total fish catch data represents the total fish supply provided by the involved fishing households.

TABLE 4-3: TOTAL FISH CATCH BY UPSTREAM (EXCLUDING ZONE 2LR), DOWNSTREAM AND MEKONG CONTROL GROUP FISHING HOUSEHOLDS IN NOVEMBER 2015, NOVEMBER 2016, NOVEMBER 2017, NOVEMBER 2018 AND NOVEMBER 2019


Fishing Zone	November 2015 (kg)	November 2016 (kg)	November 2017(kg)	November 2018(kg)	November 2019 (kg)
Upstream	696.9	624.2	308.4	877.4	701.2
Downstream	1,282.7	1,047.7	696.4	1,208.5	969.1
Mekong Control Group	544.2	957.3	616.8	468.0	682.7

FIGURE 4-2: TOTAL FISH CATCH BY UPSTREAM (EXCLUDING ZONE 2LR), DOWNSTREAM AND MEKONG
CONTROL GROUP FISHING HOUSEHOLDS IN NOVEMBER 2015, NOVEMBER 2016, NOVEMBER
2017, NOVEMBER 2018 AND NOVEMBER 2019



The numbers of fishing households involved in the fish catch monitoring programme are displayed in *Figure 4-3*.

FIGURE 4-3: NUMBER OF FISHING HOUSEHOLDS INVOLVED IN THE FISH CATCH MONITORING PROGRAMME



The median monthly household fish catch from July 2015 to November 2019 for the upstream (excluding Zone 2LR) and downstream communities, and the Mekong control group are presented in *Figure below*.





FIGURE 4-4: MEDIAN MONTHLY HOUSEHOLD FISH CATCH WITHOUT ZONE 2LR

The median household fish catch for November 2015, November 2016, November 2017, November 2018 and November 2019 in the upstream (excluding Zone 2LR) and downstream communities and the Mekong control group are displayed in **Table below**;

TABLE 4-4: MEDIAN MONTHLY HOUSEHOLD FISH CATCH IN THE UPSTREAM AND DOWNSTREAM COMMUNITIES EXCLUDING ZONE 2LR

Fishing Zone	November 2015 (kg)	November 2016 (kg)	November 2017 (kg)	November 2018 (kg)	November 2019 (kg)
Upstream	10.3	8.2	4.0	7.8	26.0
Downstream	14.2	10.2	23.3	31.2	32.3
Mekong Control Group	26.1	29.4	26.3	25.0	68.3

The median daily fish catch per household are displayed in *Figure 4-5*, and the median fish catch per household per fishing day in October 2015, October 2016, October 2017, October 2018 and October 2019 are shown in Table below;



—Upstream —Downstream —Mekong (Control Group)

FIGURE 4-5: MEDIAN DAILY FISH CATCH PER HOUSEHOLD

TABLE 4-5: MEDIAN DAILY FISH CATCH PER HOUSEHOLD IN NOVEMBER 2019

Fishing Zone	November 2015 (kg)	November 2016 (kg)	November 2017 (kg)	November 2018 (kg)	November 2019 (kg)
Upstream	1.00	1.10	1.50	2.25	2.02
Downstream	2.00	2.00	2.00	3.00	2.51
Mekong (Control Group)	2.00	3.00	1.70	2.30	3.54

# **ANNEXES**

# **ANNEX A: RESULTS OF WATER QUALITY MONITORING**

Table A- 1: Results of Main Reservoir, Re-regulation Reservoir and Surface Water (Nam Ngiep RIVER) QUALITY MONITORING

		River Name						Nam N	giep					
						Locat	tion Ref	fer to C	onstructi	ion Sites				
		Zone	Upstream						Re-reg	hin / ulation rvoir		Downs	stream	
		Station Code	NNG0 1	R1	R2	R3	R4	R5	R6	R7	NN G05	NN G06	NN G07	NN G08
Date	Parameters (Unit)	Guideline												
4-Dec-19	pН	5.0 - 9.0						6.61	6.52	6.75	6.87	6.78	6.56	6.63
5-Dec-19	pH	5.0 - 9.0		6.96	7.26	7.14	6.98							
6-Dec-19	pН	5.0 - 9.0						6.8	6.48	7.0	6.75			
7-Dec-19	рН	5.0 - 9.0						6.97	6.82		6.85			
9-Dec-19	рН	5.0 - 9.0	6.11											
10-Dec-19	рН	5.0 - 9.0		7.43	7.21	7.0	6.81							
11-Dec-19	рН	5.0 - 9.0						7.05	7.06	7.15	6.64	6.72	7.11	7.93
13-Dec-19	рН	5.0 - 9.0						6.99	6.98	6.95	6.97	7.24		
14-Dec-19	рН	5.0 - 9.0						7.25	7.07		7.07			
17-Dec-19	рН	5.0 - 9.0		7.55	7.34	7.05	6.71							
18-Dec-19	рН	5.0 - 9.0						6.38	6.84	6.78	6.77	7.03	6.23	6.21
20-Dec-19	рН	5.0 - 9.0						6.85	6.93	7.1	6.86	7.04		
21-Dec-19	рН	5.0 - 9.0						7.22	6.92		7.34			
23-Dec-19	pH	5.0 - 9.0	7.13											
24-Dec-19	pН	5.0 - 9.0		6.94	6.59	7.31	6.81							
25-Dec-19	рН	5.0 - 9.0						6.83	6.57	6.89	6.83			
27-Dec-19	pH	5.0 - 9.0						7.05	6.84	6.84	6.94	7.22		
4-Dec-19	Sat. DO (%)							76.9	1.82	1.47	4.57	49.4	50.8	62.1
5-Dec-19	Sat. DO (%)			95.9	30.7	58.1	48							
6-Dec-19	Sat. DO (%)							57.5	34.1	41.3	65.2			
7-Dec-19	Sat. DO (%)							39.3	47.5		42.1			
9-Dec-19	Sat. DO (%)		100.8											
10-Dec-19	Sat. DO (%)			77.9	26.1	40.2	27.2							
11-Dec-19	Sat. DO (%)							22.4	36.5	30.3	42.2	46.1	58	64.2
13-Dec-19	Sat. DO (%)							26.1	19.2	36.5	30.9	32.6		
14-Dec-19	Sat. DO (%)							39.5	28.6		47.9			
17-Dec-19	Sat. DO (%)			112.3	27.1	81.6	36.6							
18-Dec-19	Sat. DO (%)							47.4	35.4	36.5	42.2	41.6	51.9	64.1
20-Dec-19	Sat. DO (%)							51.9	41.1	19	32.5	49.2		
21-Dec-19	Sat. DO (%)							59.9	12		43.2			
23-Dec-19	Sat. DO (%)		102.8											

		River Name						Nam N	giep					
						Locat	tion Ref	fer to Co	onstructi	ion Sites				
		Zone			Upstre	am			With Re-reg Rese	ulation		Downs	stream	
		Station Code	NNG0 1	R1	R2	R3	R4	R5	R6	R7	NN G05	NN G06	NN G07	NN G08
Date	Parameters (Unit)	Guideline												
24-Dec-19	Sat. DO (%)			107.5	38.8	88.8	55.6							
25-Dec-19	Sat. DO (%)							78	20.7	25.8	32.4			
27-Dec-19	Sat. DO (%)							81	15.8	27.4	38.1	41		
4-Dec-19	DO (mg/L)	>6.0						6.28	1.82	1.47	4.57	4.04	4.17	5.23
5-Dec-19	DO (mg/L)	>6.0		7.9	2.52	4.8	3.94							
6-Dec-19	DO (mg/L)	>6.0						4.82	2.86	3.5	5.51			
7-Dec-19	DO (mg/L)	>6.0						3.35	4.04		3.57			
9-Dec-19	DO (mg/L)	>6.0	9.06											
10-Dec-19	DO (mg/L)	>6.0		6.5	2.14	3.58	2.26							
11-Dec-19	DO (mg/L)	>6.0						1.9	3.02	2.65	3.53	3.82	4.63	4.73
13-Dec-19	DO (mg/L)	>6.0						2.23	1.71	3.11	2.61	2.75		
14-Dec-19	DO (mg/L)	>6.0						3.39	2.42		4.04			
17-Dec-19	DO (mg/L)	>6.0		9.29	2.23	6.8	3.07							
18-Dec-19	DO (mg/L)	>6.0						4.13	2.99	3.38	3.49	3.35	4.08	5.12
20-Dec-19	DO (mg/L)	>6.0						4.37	3.51	1.58	2.75	4.02		
21-Dec-19	DO (mg/L)	>6.0						5.27	1.02		3.6			
23-Dec-19	DO (mg/L)	>6.0	8.39											
24-Dec-19	DO (mg/L)	>6.0		8.59	3.38	7.34	4.67							
25-Dec-19	DO (mg/L)	>6.0						6.53	1.75	2.33	3.12			
27-Dec-19	DO (mg/L)	>6.0						6.78	1.36	2.37	3.19	3.45		
4-Dec-19	Conductivity (μs/cm)							72	85	86	83	61	57.4	56.9
	Conductivity			88	93	79	75							
5-Dec-19	(μs/cm) Conductivity													
6-Dec-19	(μs/cm)							74	85	80	78			
7-Dec-19	Conductivity (μs/cm)							75	85	82				
0 Doc 10	Conductivity (µs/cm)		65.9											
9-Dec-19	Conductivity			90	95	81	77							
10-Dec-19	(μs/cm) Conductivity			30	33	01								
11-Dec-19	(μs/cm)							76	80	81	66	59.7	71.4	60.4
13-Dec-19	Conductivity (μs/cm)							77	82	81	81	80		
	Conductivity							78	83		81			
14-Dec-19	(μs/cm) Conductivity				0.5									
17-Dec-19	(μs/cm)			90	94	81	78							
18-Dec-19	Conductivity (μs/cm)							77	87	86	86	60.1	58.2	57.2
20-Dec-19	Conductivity (μs/cm)							75	87	86	86	85		

		River Name						Nam N	giep					
						Locat	tion Ref	fer to Co	onstructi	ion Sites				
		Zone			Upstre	am			With Re-reg Rese	ulation		Downs	stream	
		Station Code	NNG0 1	R1	R2	R3	R4	R5	R6	R7	NN G05	NN G06	NN G07	NN G08
Date	Parameters (Unit)	Guideline												
21-Dec-19	Conductivity (μs/cm)							76	84		71			
23-Dec-19	Conductivity (μs/cm)		67.3											
24-Dec-19	Conductivity (μs/cm)			92	94	83	77							
25-Dec-19	Conductivity (μs/cm)							77	93	90	90			
27-Dec-19	Conductivity (μs/cm)							76	95	91	88	89		
4-Dec-19	TDS (mg/L)							36	42.5	43	41.5	30.5	28.7	28.6
5-Dec-19	TDS (mg/L)			44	46.5	39.5	37.5							
6-Dec-19	TDS (mg/L)							37	42.5	40	39			
7-Dec-19	TDS (mg/L)							37.5	42.5		41			
9-Dec-19	TDS (mg/L)		32.95											
10-Dec-19	TDS (mg/L)			45	47.5	40.5	38.5					20.0		
11-Dec-19	TDS (mg/L)							38	40	40.5	33	29.8 5	35.7	30.2
13-Dec-19	TDS (mg/L)							38.5	41	40.5	40.5	40		
14-Dec-19	TDS (mg/L)							39	41.5		40.5			
17-Dec-19	TDS (mg/L)			45	47	40.5	39							
18-Dec-19	TDS (mg/L)							37.5	43.5	43	43	30	29.1	28.5
20-Dec-19	TDS (mg/L)							37.5	43.5	43	43	42.5		
21-Dec-19	TDS (mg/L)							38	42		35.6			
23-Dec-19	TDS (mg/L)		33											
24-Dec-19	TDS (mg/L)			46	47	41.5	38.5							
25-Dec-19	TDS (mg/L)							38.5	46.5	46.5	46			
27-Dec-19	TDS (mg/L)							38	47.5	45.5	44	44.5		
4-Dec-19	Temperature (°C)							25.3 8	24.66	24.47	24.0 7	24.5 8	24.6	23.7
5-Dec-19	Temperature (°C)			25.43	25.9 9	25.79	25.4 7							
6-Dec-19	Temperature (°C)							24.1 9	24.49	23.98	23.9 7			
7-Dec-19	Temperature (°C)							23.3 2	23.98		23.6 4			
9-Dec-19	Temperature (°C)		19.2											
10-Dec-19	Temperature (°C)			24.5	25.6	24.81	24.5 9							
11-Dec-19	Temperature (°C)							24.4	24.39	24.32	23.5	23.8	25.7	26.2
13-Dec-19	Temperature (°C)							23.5 8	24.14	23.82	23.8	23.6 6		
14-Dec-19	Temperature (°C)							23.2	23.85		23.8 8			

		River Name						Nam N	giep					
						Locat	tion Ref	er to C	onstructi	ion Sites				
		Zone			Upstre	am			Re-reg	nin / ulation rvoir		Downs	stream	
		Station Code	NNG0 1	R1	R2	R3	R4	R5	R6	R7	NN G05	NN G06	NN G07	NN G08
Date	Parameters (Unit)	Guideline												
17-Dec-19	Temperature (°C)			25.05	25.4 9	24.82	24.5 7							
18-Dec-19	Temperature (°C)							23.8 9	24.23	24.3	24.3 8	25.1	26.1	26.9
20-Dec-19	Temperature (°C)							24.3	24.13	24.31	24.2	24.2	20.1	20.5
21-Dec-19	Temperature (°C)									24.31	24.6	3		
21-Dec-19 23-Dec-19	Temperature (°C)		23.4					24.5	24.5		4			
24-Dec-19	Temperature (°C)		23.4	26.6	25.7 8	24.97	24.5							
	Temperature (°C)			20.0	٥	24.97	1	24.4			23.9			
25-Dec-19	Temperature (°C)							24.5	23.97	23.88	24.2			
27-Dec-19								6	23.99	24.11	7	24.1	7.25	10.7
4-Dec-19	Turbidity (NTU)			2.6	2.20	2.00	1.00	1.78	2.28	2.72	7.1	5.58	7.25	4
5-Dec-19	Turbidity (NTU)  Turbidity (NTU)			3.6	2.26	2.08	1.99	2.8	2.68	5.3	6.14			
6-Dec-19										5.5				
7-Dec-19	Turbidity (NTU)		5.24					2.64	3.7		4.85			
9-Dec-19	Turbidity (NTU)  Turbidity (NTU)		5.24	3.05	1.73	1.43	1.85							
10-Dec-19	Turbidity (NTU)			3.03	1.73	1.43	1.65	1.39	1.62	2.22	4.5	4.97	5.01	6.89
11-Dec-19	Turbidity (NTU)							3.24	3.54	4.05	6.43	4.81	3.01	0.03
13-Dec-19	Turbidity (NTU)							3.26	2.89		4.23			
14-Dec-19 17-Dec-19	Turbidity (NTU)			4.06	2.28	2.17	2.22							
18-Dec-19	Turbidity (NTU)							2.57	3	4.12	5.62	6.72	9.09	8.96
20-Dec-19	Turbidity (NTU)							2.16	3.02	4.3	6.11	7.49		
21-Dec-19	Turbidity (NTU)							1.58	3.01		4.61			
23-Dec-19	Turbidity (NTU)		3.15											
24-Dec-19	Turbidity (NTU)			4.92	3.27	2.81	2.48							
25-Dec-19	Turbidity (NTU)							2.65	3.07	5.19	5.93			
27-Dec-19	Turbidity (NTU)													
3-Dec-19	TSS (mg/L)							<5	<5	<5	8.52			
4-Dec-19	TSS (mg/L)							<5	<5	<5	8.52			
9-Dec-19	TSS (mg/L)		7.11											
10-Dec-19	TSS (mg/L)			6.27	<5	<5	<5							12.7
11-Dec-19	TSS (mg/L)							<5	<5	<5	<5	<5	8.6	13.7 2
18-Dec-19	TSS (mg/L)							<5	<5	<5	<5			

		River Name						Nam N	giep					
						Locat	tion Re	fer to Co	onstructi	ion Sites				
		Zone			Upstre	am			Re-reg	nin / ulation rvoir		Downs	stream	
		Station Code	NNG0 1	R1	R2	R3	R4	R5	R6	R7	NN G05	NN G06	NN G07	NN G08
Date	Parameters (Unit)	Guideline												
4-Dec-19	BOD₅ (mg/L)	<1.5						<1.0	7.14	7.32	4.46			
9-Dec-19	BOD₅ (mg/L)	<1.5	1.53											
10-Dec-19	BOD₅ (mg/L)	<1.5		1.99	<1.0	<1.0	<1.0							
11-Dec-19	BOD₅ (mg/L)	<1.5						<1.0	2.8	3.38	2.93	2.86	1.82	<1.0
18-Dec-19	BOD₅ (mg/L)	<1.5						<1.0	4.52	5.04	3.7			
9-Dec-19	COD (mg/L)	<5.0	6.4											
10-Dec-19	COD (mg/L)	<5.0		10	15.8	5.6	5.2							
11-Dec-19	COD (mg/L)	<5.0						<5.0	18.4	12.8	6.4	7	7.2	9.4
9-Dec-19	NH₃-N (mg/L)	<0.2	<0.2											
10-Dec-19	NH₃-N (mg/L)	<0.2		<0.2	<0.2	<0.2	<0.2							
11-Dec-19	NH₃-N (mg/L)	<0.2						<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
9-Dec-19	NO₃-N (mg/L)	<5.0	<0.02											
10-Dec-19	NO <sub>3</sub> -N (mg/L)	<5.0		<0.02	<0.0 2	<0.02	<0.0 2							
11-Dec-19	NO₃-N (mg/L)	<5.0						<0.0 2	0.03	<0.02	<0.0 2	<0.0 2	0.04	<0.0 2
4-Dec-19	Faecal coliform (MPN/100 ml)	<1,000						7	5	11	17			
9-Dec-19	Faecal coliform (MPN/100 ml)	<1,000	49											
10-Dec-19	Faecal coliform (MPN/100 ml)	<1,000		2	0	0	0							
11-Dec-19	Faecal coliform (MPN/100 ml)	<1,000						0	0	0	4	11	5	17
	Faecal coliform							0	0	0	2			
18-Dec-19 4-Dec-19	(MPN/100 ml) Total Coliform (MPN/100 ml)	<1,000 <5,000						27	17	79	240			
4-Dec-13	Total Coliform	\3,000	240											
9-Dec-19	(MPN/100 ml) Total Coliform	<5,000	240											
10-Dec-19	(MPN/100 ml)	<5,000		130	33	49	7							
11-Dec-19	Total Coliform (MPN/100 ml)	<5,000						49	79	49	240	170	280	1,60 0
18-Dec-19	Total Coliform (MPN/100 ml)	<5,000						49	23	13	13			
9-Dec-19	TKN		<1.5											
10-Dec-19	TKN			<1.5	<1.5	<1.5	<1.5							
11-Dec-19	TKN							<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
9-Dec-19	Chloride (mg/L)		<2											
10-Dec-19	Chloride (mg/L)			<2	<2	<2	<2							
11-Dec-19	Chloride (mg/L)							<2	<2	<2	<2	<2	<2	<2
9-Dec-19	Sulphate(mg/L)	<500	1.6											
10-Dec-19	Sulphate(mg/L)	<500		1.6	1.1	1.1	14							

		River Name						Nam N	giep					
						Locat	tion Ref	fer to Co	onstructi	ion Sites				
		Zone			Upstre	am			With Re-reg Rese	ulation		Downs	stream	
		Station Code	NNG0 1	R1	R2	R3	R4	R5	R6	R7	NN G05	NN G06	NN G07	NN G08
Date	Parameters (Unit)	Guideline												
11-Dec-19	Sulphate(mg/L)	<500						1.5	1.6	2.2	2.3	1.5	1.8	1.4
9-Dec-19	Alkalinity (mg/L)		56.7											
10-Dec-19	Alkalinity (mg/L)			63.7	66.7	60.7	52.7							
11-Dec-19	Alkalinity (mg/L)							50.7	56.7	59.7	52.7	51.7	44.8	54.7
9-Dec-19	Calcium (mg/L)		9.69											
10-Dec-19	Calcium (mg/L)			9.5	9.15	7.75	7.75							
11-Dec-19	Calcium (mg/L)							7.94	7.45	7.36	7.72	7.16	7.5	7.34
9-Dec-19	Manganese (mg/L)	<1.0	0.056											
10-Dec-19	Manganese (mg/L)	<1.0		0.052	0.05 2	0.069	0.12							
11-Dec-19	Manganese (mg/L)	<1.0						0.10 9	0.182	0.199	0.22 7	0.03	0.15 2	0.22
9-Dec-19	Mercury (mg/L)	<0.002	0.0002											
10-Dec-19	Mercury (mg/L)	<0.002		0.0002	<0.0 002	<0.00 02	<0.0 002							
11-Dec-19	Mercury (mg/L)	<0.002						<0.0 002	<0.00 02	<0.00 02	<0.0 002	<0.0 002	0.00 02	<0.0 002
9-Dec-19	Magnesium (mg/L)		2.02											
10-Dec-19	Magnesium (mg/L)			2.32	2.02	1.58	1.62							
11-Dec-19	Magnesium (mg/L)							1.61	1.54	1.51	1.58	1.49	1.55	1.52
9-Dec-19	Lead (mg/L)	<0.05	<0.01											
10-Dec-19	Lead (mg/L)	<0.05		<0.01	<0.0 1	<0.01	<0.0 1							
11-Dec-19	Lead (mg/L)	<0.05						<0.0 1	<0.01	<0.01	<0.0 1	<0.0 1	<0.0 1	<0.0 1
9-Dec-19	Potassium (mg/L)		1.3											
10-Dec-19	Potassium (mg/L)			1.65	1.46	1.24	1.28							
11-Dec-19	Potassium (mg/L)							1.31	1.43	1.27	1.35	1.3	1.29	1.26
9-Dec-19	Sodium (mg/L)		2.5											
10-Dec-19	Sodium (mg/L)			2.54	2.28	1.97	1.94							
11-Dec-19	Sodium (mg/L)							1.98	1.92	1.89	1.9	1.78	1.84	1.8
9-Dec-19	Total Iron (mg/L)		0.55											
10-Dec-19	Total Iron (mg/L)			0.553	0.42	0.242	0.42 7							
11-Dec-19	Total Iron (mg/L)							0.44 6	1.34	1.44	1.64	1.05	1.29	1.65
10-Dec-19	TOC (mg/L)			2.8	2	1.42	1.3							
11-Dec-19	TOC (mg/L)							1.28	1.39	1.47				
10-Dec-19	Total Phosphorus (mg/L)			<0.01	<0.0 1	<0.01	<0.0 1							
11-Dec-19	Total Phosphorus (mg/L)							<0.0	<0.01	<0.01				

		River Name						Nam N	giep					
						Loca	tion Ref	fer to C	onstructi	ion Sites				
		Zone		Within / Upstream Re-regulation Reservoir								Downs	stream	
		Station Code	NNG0 1	NNG0 R1 R2 R3 R4 R5 R6 R7						R7	NN G05	NN G06	NN G07	NN G08
Date	Parameters (Unit)	Guideline												
10-Dec-19	Total Dissolved Phosphorus (mg/L)			<0.01	<0.0 1	<0.01	<0.0 1							
11-Dec-19	Total Dissolved Phosphorus (mg/L)							<0.0 1	<0.01	<0.01				
11-Dec-19	Hydrogen Sulfide (mg/L)							<0.0 2		<0.02	<0.0 2			

TABLE A-2: RESULTS OF SURFACE WATER QUALITY MONITORING IN NAM CHIAN, NAM PHOUAN, NAM XAO AND NAM HOUAY SOUP

		River Name	Nam Chain	Nam Phouan	Nam Xao	Nam Houay Soup
			Locat	ion Refer to	Construction	Sites
		Zone	Tributarie	s Upstream	Tribut Downs	
		Station Code	NCH01	NPH01	NXA01 NHS01	
		Date				
Date	Parameters (Unit)	Guideline				
4-Dec-19	рН	5.0 - 9.0			6.95	6.77
5-Dec-19	рН	5.0 - 9.0		7.57		
6-Dec-19	рН	5.0 - 9.0				
7-Dec-19	рН	5.0 - 9.0				
9-Dec-19	рН	5.0 - 9.0	6.33			
10-Dec-19	рН	5.0 - 9.0		7.61		
11-Dec-19	рН	5.0 - 9.0			6.36	6.24
13-Dec-19	рН	5.0 - 9.0			7.23	
14-Dec-19	рН	5.0 - 9.0				
17-Dec-19	рН	5.0 - 9.0		7.79		
18-Dec-19	рН	5.0 - 9.0			6.36	6.27
20-Dec-19	рН	5.0 - 9.0			7.19	
21-Dec-19	рН	5.0 - 9.0				
23-Dec-19	рН	5.0 - 9.0	7.41			
24-Dec-19	рН	5.0 - 9.0		6.68		

		River Name	Nam Chain	Nam Phouan	Nam Xao	Nam Houay Soup
			Locat	ion Refer to	Construction	<u> </u>
		Zone	Tributaries	s Upstream	Tribut Downs	
		Station Code	NCH01	NPH01	NXA01	NHS01
		Date				
Date	Parameters (Unit)	Guideline				
25-Dec-19	рН	5.0 - 9.0				
27-Dec-19	рН	5.0 - 9.0			7.34	
4-Dec-19	Sat. DO (%)				83.6	57.6
5-Dec-19	Sat. DO (%)			90.6		
6-Dec-19	Sat. DO (%)					
7-Dec-19	Sat. DO (%)					
9-Dec-19	Sat. DO (%)		95.8			
10-Dec-19	Sat. DO (%)			93.6		
11-Dec-19	Sat. DO (%)				67.5	72
13-Dec-19	Sat. DO (%)				78.8	
14-Dec-19	Sat. DO (%)					
17-Dec-19	Sat. DO (%)			112.5		
18-Dec-19	Sat. DO (%)				83.1	73.2
20-Dec-19	Sat. DO (%)				52.8	
21-Dec-19	Sat. DO (%)					
23-Dec-19	Sat. DO (%)		99.9			
24-Dec-19	Sat. DO (%)			94.3		
25-Dec-19	Sat. DO (%)					
27-Dec-19	Sat. DO (%)				80.7	
4-Dec-19	DO (mg/L)	>6.0			6.97	6.23
5-Dec-19	DO (mg/L)	>6.0		8.84		
6-Dec-19	DO (mg/L)	>6.0				
7-Dec-19	DO (mg/L)	>6.0				
9-Dec-19	DO (mg/L)	>6.0	8.58			
10-Dec-19	DO (mg/L)	>6.0		9.62		
11-Dec-19	DO (mg/L)	>6.0			5.67	6.12
13-Dec-19	DO (mg/L)	>6.0			7.22	
14-Dec-19	DO (mg/L)	>6.0				
17-Dec-19	DO (mg/L)	>6.0		10.69		
18-Dec-19	DO (mg/L)	>6.0			6.57	6.31
20-Dec-19	DO (mg/L)	>6.0			4.35	
21-Dec-19	DO (mg/L)	>6.0				
23-Dec-19	DO (mg/L)	>6.0	8.76			
24-Dec-19	DO (mg/L)	>6.0		8.65		
					ı	

		River Name	Nam Chain	Nam Phouan	Nam Xao	Nam Houay Soup
			Locat	ion Refer to	Construction	_
		Zone	Tributaries	s Upstream	Tribut Downs	
		Station Code	NCH01	NPH01	NXA01	NHS01
		Date				
Date	Parameters (Unit)	Guideline				
25-Dec-19	DO (mg/L)	>6.0				
27-Dec-19	DO (mg/L)	>6.0			6.65	
4-Dec-19	Conductivity (µs/cm)				84.7	40.9
5-Dec-19	Conductivity (µs/cm)			77		
6-Dec-19	Conductivity (µs/cm)					
7-Dec-19	Conductivity (µs/cm)					
9-Dec-19	Conductivity (µs/cm)		25.4			
10-Dec-19	Conductivity (µs/cm)			76		
11-Dec-19	Conductivity (µs/cm)				99.4	56.2
13-Dec-19	Conductivity (µs/cm)				126	
14-Dec-19	Conductivity (µs/cm)					
17-Dec-19	Conductivity (µs/cm)			78		
18-Dec-19	Conductivity (µs/cm)				101.7	41.3
20-Dec-19	Conductivity (µs/cm)				90	
21-Dec-19	Conductivity (µs/cm)					
23-Dec-19	Conductivity (µs/cm)		26.6			
24-Dec-19	Conductivity (µs/cm)			78		
25-Dec-19	Conductivity (µs/cm)					
27-Dec-19	Conductivity (µs/cm)				141	
4-Dec-19	TDS (mg/L)				42.3	20.4
5-Dec-19	TDS (mg/L)			38.5		
6-Dec-19	TDS (mg/L)					
7-Dec-19	TDS (mg/L)					
9-Dec-19	TDS (mg/L)		12.7			
10-Dec-19	TDS (mg/L)			38		
11-Dec-19	TDS (mg/L)				49.7	
13-Dec-19	TDS (mg/L)				63	
14-Dec-19	TDS (mg/L)					
17-Dec-19	TDS (mg/L)			39		
18-Dec-19	TDS (mg/L)				50.7	20.6
20-Dec-19	TDS (mg/L)				90	
21-Dec-19	TDS (mg/L)					
23-Dec-19	TDS (mg/L)		13			
24-Dec-19	TDS (mg/L)			39		

		River Name	Nam Chain	Nam Phouan	Nam Xao	Nam Houay Soup	
			Locat	ion Refer to	Construction	Sites	
		Zone	Tributarie	s Upstream		utaries nstream	
		Station Code	NCH01	NPH01	NXA01	NHS01	
		Date					
Date	Parameters (Unit)	Guideline					
25-Dec-19	TDS (mg/L)						
27-Dec-19	TDS (mg/L)				70.5		
4-Dec-19	Temperature (°C)				25	24.7	
5-Dec-19	Temperature (°C)			16.46			
6-Dec-19	Temperature (°C)						
7-Dec-19	Temperature (°C)						
9-Dec-19	Temperature (°C)		18.9				
10-Dec-19	Temperature (°C)			13.88			
11-Dec-19	Temperature (°C)				22.6	23	
13-Dec-19	Temperature (°C)				19.54		
14-Dec-19	Temperature (°C)						
17-Dec-19	Temperature (°C)			17.6			
18-Dec-19	Temperature (°C)				25.7	25.8	
20-Dec-19	Temperature (°C)				24.96		
21-Dec-19	Temperature (°C)						
23-Dec-19	Temperature (°C)		19.5				
24-Dec-19	Temperature (°C)			18.19			
25-Dec-19	Temperature (°C)						
27-Dec-19	Temperature (°C)				24.91		
4-Dec-19	Turbidity (NTU)				5.81	5.26	
5-Dec-19	Turbidity (NTU)			2.74			
6-Dec-19	Turbidity (NTU)						
7-Dec-19	Turbidity (NTU)						
9-Dec-19	Turbidity (NTU)		6.2				
10-Dec-19	Turbidity (NTU)			1.89			
11-Dec-19	Turbidity (NTU)				6.23	5.31	
	Turbidity (NTU)				8.21	5.51	
13-Dec-19	Turbidity (NTU)				0.21		
14-Dec-19				2.64			
17-Dec-19	Turbidity (NTU)			2.64	2.22		
18-Dec-19	Turbidity (NTU)				8.03	5.04	
20-Dec-19	Turbidity (NTU)				6.36		
21-Dec-19	Turbidity (NTU)						

		River Name	Nam Chain	Nam Phouan	Nam Xao	Nam Houay Soup	
			Locat	ion Refer to	Construction	Sites	
		Zone	Tributarie	s Upstream		utaries istream	
		Station Code	NCH01	NPH01	NXA01	NHS01	
		Date					
Date	Parameters (Unit)	Guideline					
23-Dec-19	Turbidity (NTU)		2.95				
24-Dec-19	Turbidity (NTU)			4.26			
25-Dec-19	Turbidity (NTU)						
27-Dec-19	Turbidity (NTU)						
3-Dec-19	TSS (mg/L)						
4-Dec-19	TSS (mg/L)						
9-Dec-19	TSS (mg/L)		<5				
10-Dec-19	TSS (mg/L)			6.22			
11-Dec-19	TSS (mg/L)				<5	<5	
18-Dec-19	TSS (mg/L)						
4-Dec-19	BOD₅ (mg/L)	<1.5					
9-Dec-19	BOD₅ (mg/L)	<1.5	1.48				
10-Dec-19	BOD₅ (mg/L)	<1.5		<1.0			
11-Dec-19	BOD₅ (mg/L)	<1.5			2.04	1.21	
18-Dec-19	BOD₅ (mg/L)	<1.5					
9-Dec-19	COD (mg/L)	<5.0	<5.0				
10-Dec-19	COD (mg/L)	<5.0		<5.0			
11-Dec-19	COD (mg/L)	<5.0			<5.0	8.8	
9-Dec-19	NH₃-N (mg/L)	<0.2	<0.2				
10-Dec-19	NH₃-N (mg/L)	<0.2		<0.2			
11-Dec-19	NH₃-N (mg/L)	<0.2			<0.2	<0.2	
9-Dec-19	NO₃-N (mg/L)	<5.0	0.04				
10-Dec-19	NO₃-N (mg/L)	<5.0		<0.02			
11-Dec-19	NO₃-N (mg/L)	<5.0			<0.02	<0.02	
	Faecal coliform						
4-Dec-19	(MPN/100 ml)	<1,000					
9-Dec-19	Faecal coliform (MPN/100 ml)	<1,000	9				
5 2 5 5 15	Faecal coliform	_,000		7.0			
10-Dec-19	(MPN/100 ml)	<1,000		7.8			
11 Doc 10	Faecal coliform	<1,000			21	79	
11-Dec-19	(MPN/100 ml) Faecal coliform	<u>\1,000</u>					
18-Dec-19	(MPN/100 ml)	<1,000					
	Total Coliform						
4-Dec-19	(MPN/100 ml)	<5,000					

		River Name	Nam Chain	Nam Phouan	Nam Xao	Nam Houay Soup
			Locat	ion Refer to	Construction	Sites
		Zone	Tributarie	s Upstream	Tribut Downs	
		Station Code	NCH01	NPH01	NXA01	NHS01
		Date				
Date	Parameters (Unit)	Guideline				
	Total Coliform		240			
9-Dec-19	(MPN/100 ml)	<5,000	240			
10-Dec-19	Total Coliform (MPN/100 ml)	<5,000		170		
10-Dec-13	Total Coliform	\3,000				
11-Dec-19	(MPN/100 ml)	<5,000			1,600	280
	Total Coliform					
18-Dec-19	(MPN/100 ml)	<5,000	.4 5			
9-Dec-19	TKN		<1.5	.4.5		
10-Dec-19	TKN			<1.5	.4.5	.4.5
11-Dec-19	TKN				<1.5	<1.5
9-Dec-19	Chloride (mg/L)		<2			
10-Dec-19	Chloride (mg/L)			6.9		
11-Dec-19	Chloride (mg/L)				<2	<2
9-Dec-19	Sulphate(mg/L)	<500	0.5			
10-Dec-19	Sulphate(mg/L)	<500		1.4		
11-Dec-19	Sulphate(mg/L)	<500			1.9	1.8
9-Dec-19	Alkalinity (mg/L)		35.8			
10-Dec-19	Alkalinity (mg/L)			55.7		
11-Dec-19	Alkalinity (mg/L)				59.7	52.7
9-Dec-19	Calcium (mg/L)		2.83			
10-Dec-19	Calcium (mg/L)			8.4		
11-Dec-19	Calcium (mg/L)				8.92	7.98
9-Dec-19	Manganese (mg/L)	<1.0	0.204			
10-Dec-19	Manganese (mg/L)	<1.0		0.026		
11-Dec-19	Manganese (mg/L)	<1.0			0.168	0.187
9-Dec-19	Mercury (mg/L)	<0.002	<0.0002			
10-Dec-19	Mercury (mg/L)	<0.002		<0.0002		
11-Dec-19	Mercury (mg/L)	<0.002			<0.0002	<0.0002
9-Dec-19	Magnesium (mg/L)					
10-Dec-19	Magnesium (mg/L)		0.7	1.22		
11-Dec-19	Magnesium (mg/L)				1.97	1.62
9-Dec-19	Lead (mg/L)	<0.05	<0.01			
10-Dec-19	Lead (mg/L)	<0.05		<0.01		
11-Dec-19	Lead (mg/L)	<0.05			<0.01	<0.01

		River Name	Nam Chain	Nam Phouan	Nam Xao	Nam Houay Soup
			Locat	ion Refer to	Construction	Sites
		Zone	Tributaries Upstream Tributa  Downstr			
		Station Code	NCH01 NPH01		NXA01	NHS01
		Date				
Date	Parameters (Unit)	Guideline				
9-Dec-19	Potassium (mg/L)		1.04			
10-Dec-19	Potassium (mg/L)			1.1		
11-Dec-19	Potassium (mg/L)				1.25	1.44
9-Dec-19	Sodium (mg/L)		1.64			
10-Dec-19	Sodium (mg/L)			2.26		
11-Dec-19	Sodium (mg/L)				2.44	1.99
9-Dec-19	Total Iron (mg/L)		0.729			
10-Dec-19	Total Iron (mg/L)			0.159		
11-Dec-19	Total Iron (mg/L)				1.22	1.12

### **ANNEX B: RESULTS OF EFFLUENT ANALYSES**

Table B-1: Results of Camp Effluents in December 2019

	Site Name		's Site Office d Village Obayashi Camp SongDa5		Ce Obayashi Camp Sor		amp No.1
	Station Code	EF	01	EF	02	EFC	)7
	Date	03-Dec-19	16-Dec-19	03-Dec-19	16-Dec-19	03-Dec-19	16-Dec-19
Parameters (Unit)	Guideline						
рН	6.0 - 9.0	7.30	7.36				
Sat. DO (%)		87.6	78				
DO (mg/L)		7.17	6.15				
Conductivity (µs/cm)		381	350				
TDS (mg/L)		190.5	175				
Temperature (°C)		24.2	25.8				
Turbidity (NTU)		1.36	1.06				
TSS (mg/L)	<50	<5	<5				
BOD <sub>5</sub> (mg/L)	<30	8.52	17.82				
COD (mg/L)	<125	<25	<25				
NH <sub>3</sub> -N (mg/L)	<10.0	<1.5	2.3	This si	<b>.</b>		
Total Nitrogen (mg/L)	<10.0	17.5	19.8	decomm	te was pissioned		
Total Phosphorus (mg/L)	<2	1.35	1.83	4000			
Oil & Grease (mg/L)	<10.0	<1					
Total coliform (MPN/100 ml)	<400	46	110				
Faecal Coliform (MPN/100 ml)	<400	14	4				
Effluent Discharge Volume (L/mn)		10	10				
Chlorination Dosing Rate (mL/mn)		n/a	n/a				
Residual Chlorine (mg/L)	<1.0	n/a	n/a			No samples inflow to chlo	

	Site Name	V&K Camp		HM Main Camp		ESD Camp		Main Powerhouse	
	Station Code	EF10		EF13		EF14		EF19	
	Date	03-Dec- 19	16-Dec- 19	03- Dec-19	16- Dec-19	03- Dec-19	16-Dec- 19	03-Dec- 19	19-Dec- 19
Parameters (Unit)	Guideline								
рН	6.0 - 9.0	-1.	•		6.37	7.12	6.06	6.31	6.35
Sat. DO (%)		This site was decommissioned		63.3	39.2	73.3	33.1	74.3	43.3
DO (mg/l)				5.21	3.22	6.16	2.66	5.95	3.46

	Site Name	V&K Camp		HM Mai	in Camp	ESD Camp		Main Powerhouse		
	Station Code	EF	10	EF	EF13		EF14		EF19	
	Date	03-Dec- 19	16-Dec- 19	03- Dec-19	16- Dec-19	03- Dec-19	16-Dec- 19	03-Dec- 19	19-Dec- 19	
Parameters (Unit)	Guideline									
Conductivity (μs/cm)				793	142	831	356	1128	1,104	
TDS (mg/l)				391.5	70.8	415.5	178	569	550	
Temperature (°C)				195.5	26.7	23	24.3	25.5	25.5	
Turbidity (NTU)				26.79	4.33	7.08	3.47	13.03	16.35	
TSS (mg/l)	<50			16.2	11.1	24.69	7.78	46.3	65.0	
BOD <sub>5</sub> (mg/l)	<30			<6	34.44	<6	<6	19.08	<6	
COD (mg/l)	<125			96.6	49.8	<25	<25	125	135	
NH <sub>3</sub> -N (mg/l)	<10.0			23.5	11.5	15.3	17.3	59.1	60.5	
Total Nitrogen (mg/l)	<10.0			32.2	13.3	17.7	19.2	65.1	13.2	
Total Phosphorus (mg/l)	<2			2.23	0.67	0.81	0.6	6.26	7.07	
Oil & Grease (mg/l)	<10.0			<1		<1		<1		
Total coliform (MPN/100ml)	<400			0	0	0	0	0	0	
Faecal Coliform (MPN/100ml)	<400			0	0	0	0	0	0	
Effluent Discharge Volume (L/mn)				12	10		6	2000	2000	
Chlorination Dosing Rate (ml/mn)					15		15	600	600	
Residual Chlorine (mg/l)	<1.0			1.8	1.6	1.53	1.86	2	1.90	

TABLE B-2: RESULTS OF THE CONSTRUCTION AREA DISCHARGE IN DECEMBER 2019

	Site Name	Up	stream Spoil D	isposal Area No	.2
	Station Code		DS04	- US	
	Date	05-Dec-19	12-Dec-19	19-Dec-19	
Parameter (Unit)	Guideline				
рН	6.0 - 9.0	6.75	7.18	6.87	
Sat. DO (%)		74.6	81.2	80.1	
DO (mg/L)		6.78	6.32	6.44	
Conductivity (µs/cm)		30	8.07	8.43	
TDS (mg/L)		15	4	4.2	
Temperature (°C)		20.3	26.1	24.9	
Turbidity (NTU)		2.19	1.81	3.19	
TSS (mg/L)	<50	7.5	2	2.97	
Oil & Grease (mg/L)	<10		<1		

	Site Name	Spoil Disposal Area No.2						
	Station Code		DS	504				
	Date	05-Dec-19	12-Dec-19	19-Dec-19				
Parameter (Unit)	Guideline							
рН	6.0 - 9.0	6.17	6.92	6.19				
Sat. DO (%)		69.7	73.7	73.9				
DO (mg/L)		6.17	5.93	6.12				
Conductivity (µs/cm)		45.1	28.5	38.9				
TDS (mg/L)		22.5	14.2	19.4				
Temperature (°C)		20.6	25.3	23.8				
Turbidity (NTU)		4.18	1.87	3.13				
TSS (mg/L)	<50	1	1.2	2.04				
Oil & Grease (mg/L)	<10		<1					

## **ANNEX C: AMBIENT DUST QUALITY**

TABLE C-1: 24-HOUR AVERAGE DUST CONCENTRATIONS MEASURED IN HAT GNIUN VILLAGE

Hat Gnuin Village - 24 Hours Average Particulate Matter (PM10) Concentration				
Period	00 to 24 Hours	24 to 48 Hours	48 to 72 Hours	
Start Time	09-Dec-19 18:00	10-Dec-19 18:00	11-Dec-19 18:01	
End Time	10-Dec-19 18:00	11-Dec-19 18:01	12-Dec-19 18:00	
Average Data Record in 24h (mg/m³)	0.111	0.086	0.101	
Guideline Average in 24h (mg/m³)	0.12	0.12	0.12	

TABLE C-2: 24-HOUR AVERAGE DUST CONCENTRATIONS MEASURED IN PHOUHOMXAY VILLAGE

Phouhomxay Village - 24 Hours Average Particulate Matter (PM10) Concentration				
Period	00 to 24 Hours	24 to 48 Hours	48 to 72 Hours	
Start Time	16-Dec-19 18:00	17-Dec-19 18:01	18-Dec-19 18:01	
End Time	17-Dec-19 18:00	18-Dec-19 18:00	19-Dec-19 18:00	
Average Data Record in 24h (mg/m³)	0.081	0.064	0.044	
Guideline Average in 24h (mg/m³)	0.12	0.12	0.12	

TABLE C-3 AND TABLE C-4: AVERAGE RESULTS OF DUST MONITORING AT SONG DA5 CAMP NO. 2 AND LILAMA10 CAMP IN DECEMBER 2019

Song Da5 Camp No.2 - Dust Emission Average in 24 hours			
Period	24 Hours		
Start Time	03-Dec-19 18:00		
End Time	04-Dec-19 18:00		
Average Data Record (mg/m³) -24h	0.055		
Guideline Average (mg/m³) - 24h	0.12		

Lilama10 Camp - Dust Emission Average in 24 hours			
Period	24 Hours		
Start Time	25-Dec-19 18:00		
End Time	26-Dec-19 18:00		
Average Data Record (mg/m³) -24h	0.081		
Guideline Average (mg/m³) - 24h	0.12		

#### TABLE C-5 AND TABLE C-6: AVERAGE RESULTS OF DUST MONITORING AT MAIN DAM AND MAIN POWERHOUSE IN DECEMBER 2019

Main Dam - Dust Emission Average in 24 hours		
Period	24 Hours	
Start Time	26-Dec-19 18:30	
End Time	27-Dec-19 18:00	
Average Data Record (mg/m³) -24h	0.084	
Guideline Average (mg/m³) - 24h	0.12	

Main Powerhouse - Dust Emission Average in 24 hours		
Period	24 Hours	
Start Time	23-Dec-19 18:00	
End Time	24-Dec-19 18:00	
Average Data Record (mg/m³) -24h	0.059	
Guideline Average (mg/m³) - 24h	0.12	